



Impressive CV Spare Parts

BRAKE EQUIPMENTS



## WORLD QUALITY PRODUCT

**WISGROUP** company is one of the largest suppliers of heavy duty vehicles' spare parts such as trucks, trailers, tractors and train.

The brief summary of our precious 50 years as is follows: Our company, which had start its' production in a small workplace by motor and brake parts in 1968 . Developed in short time, and completed its' corporate identify with well-known brands.

Today, WISGROUP presenting its' efficient products by its sister companies of plant which is in the Organized Industry.

WISGROUP sells its manufacturer partners' products made of casting and hot forging to the global market. Wisgroup's core competence is to produce guaranteed, quality spare parts for OE suppliers on the global market and to supply spare parts to wholesalers around the world .

Manufacturer partners in Turkey and our workshop customers in worldwide value Wisgroup's expertise as a reliable full-service partner that keeps their business and vehicles moving. With an annual production capacity of more than 36 million products and a product range of 18 thousand, our manufacturer partners have become a leader in the world with their entrepreneurial, strong, dynamic and innovative structure ..

Commercial and heavy commercial vehicles for the European, American and Asian applications are produced with ISO 9001: 2015, ISO 2701: 2013 TS EN ISO 14001: 2015 ve IATF 16949: 2016 certificates .

Wisgroup services with a various range of; **Brake Discs, Brake Drum, Caliper Repair Kits, Air Tank , Air Springs, Wheel Hubs, Ball Joint, Centre Rod, Draglink, Tie Rod, Track Control Arm, Repair Kit, Tie Rod End, Wishbone, Stabilizer, Idler Arm, V Bar, Axial Joint , Bushing, Oil Pumps, Flywheels, Fifth Wheels and Compresors** to its special customers; and always proud of being known as a trustable, specialized, fast, qualified and competitive partner by its customers. Every year by expanding our sales network in the automotive industry, hydraulic industry, railway industry, construction machines and agricultural machines from 250 grams up to 60 kilograms for different application areas such as forging and casting parts with closed die system is able to offer.

Design and mould production is maden by our manufacturer partner companies. Most of our items are equal the quality of OE replacement parts from market leading suppliers. In addition, we offer special agreement opportunities with customer-specific investments of manufacturers to whom OE companies and wholesalers that has worldwide distribution channels .

WISGROUP achieve which is none other than the satisfaction of customers.

# QUALITY



In compliance with all of our environmental and operational safety policies and procedures, all our products are manufactured following robust processes ensuring we meet and exceed our **TOTAL QUALITY PROGRAMME**. All of our employees are 100% committed in meeting all of our industries well known international quality standards (IATF: 16949, ISO: 14001, ISO: 9001, ISO: 27001, CE, CE & SAEJ10), They all play a vital part in the execution and continuous improvements when it comes to our **TOTAL QUALITY MANAGEMENT (TQM)** system.



Our on going education, training programmes and investments in our employees plays an integral role at factory and are important activities that ensure we only achieve the very **HIGHEST STANDARDS** when it comes to quality and in turn creating **PEACE OF MIND** for all our customers. Using only the very latest in design, test and manufacturing equipment is essential when it comes to the production of pressure vessels and this approach guarantees that all the required international certification requirements are always met.

## Pressure Vessels , Metal Measurement and Control Equipment

- \* Brinell / Vickers hardness tester
- \* Surface roughness measuring devices
- \* 3D surface scanning
- \* 7 axis measuring arm (FARO)
- \* Spectrometer
- \* Tensile tester
- \* Bending test device

## Welding Inspection Equipment

X-Ray Devices



# R&D



## IN HOUSE R&D CENTRE

All of the design, testing and development of products is carried out within our in house on site fully accredited R&D centre. Everything is application engineered only using original samples .Equipped with over 150 dedicated engineers covering all the skill sets required to ensure we offer our partners like for like when comparing our product with the OE. This facility also allows us to continuously optimise our development costs and also offer a premium quality product.

By carefully selecting all the required materials and following all the processes in compliance with EN 286-2: 1992 Pressure Vessels standards, our products are designed and manufactured to function and withstand the most extreme road and weather conditions. In parallel with this we also ensure product safety by applying the same calculation methods and test procedures defined within the same product standards.

All of the products we develop comply with the industry required CE standards and follow process and product verification guidelines. Tightness and pressure-blast test inspections are also carried out by 3rd party independent organizations.

Regular rigorous testing and engineering studies are carried out throughout all the stages of our manufacturing processes starting from the prototype design, production, testing and the final approval process. By following our systematic Quality and TQM processes and procedures our team of engineers are always looking for ways to continuously improve our product quality and reduce further our development times in the most effective and efficient ways.

# TOOLING SHOP



## IN HOUSE TOOLING

Our **IN HOUSE** tooling capabilities enable us to produce our own moulds for every different part within our complete product offering.

By having this **ALL UNDER ONE ROOF** we are able to design and manufacture our own tooling quickly and in turn allow us to have a development time and speed to market the is **SECOND TO NONE**.

Our tooling department is fully equipped with the very latest in software and technological equipment, which allows us to produce tools & moulds quickly , efficiently and error-free which again demonstrates **THE WIS DIFFERENCE**. Our quick development time across all product categories is something we are very proud of.

Our controlled and robust in house preventative maintenance process ensures that our tooling is always maintained to the highest quality and this avoids any possible tooling or quality issues that could occur.

This offers you **ONE QUALITY** with **AFTERMARKET FLEXIBILITY** and further demonstrates flexibility and capabilities of partners that sets us apart from the rest.



# METAL FORMING



When it comes to a pressure vessel (AIR TANK), we take extreme care when it comes to the product geometry, pressure resistance and the product aesthetics. As well as the welding areas and the front metal shaping it is imperative that the welding operation is done to the very **HIGHEST STANDARDS**.

All of these important activities are carried out using each parts unique moulds and using our fully automated manufacturing equipment



# WELDING




## IN HOUSE WELDING

As Air Tank joints are a critical part of the product. Welded joints are very closely monitored and 100% checked during the manufacturing process. As we all know sub standard welding can result in catastrophic failures. WIS has multiple automated Robotic welding lines and regular welding checks and tests are carried out throughout the production process of all our air tanks.

- \* Fully automatic robot line for sleeve welding,
- \* Special automated welding lines for cylinder butt welding,
- \* Special automated welding lines for cylinder perimeter welding,

Our Air Tank welding quality and other parts is kept under constant control and regular destructive and non-destructive examinations and tests are carried out by selecting random samples on a regular basis during the production process.




# TESTING



We are doing 100% high pressure tests to all our products as specified in the CE directives. We always prioritize product and vehicle safety and test the sealing and compressive strength of the each products cylinder, cover and sleeve surfaces under the test conditions which are 1.5 times higher then the maximum working pressure ( $P_s = P_{max} \times 1.5$ ).

During the “New product R&D” operations, we test the weld zone tear and weld strengths by doing blast pressure tests which are 5 times higher then the maximum working pressure ( $P_s = P_{max} \times 5$ ) which specified by international standards.



# PAINTING



## IN HOUSE PAINTING

All of our painted products are coated using electrostatic powder paint. This ensures our air tanks, steerings and fifth wheels are protected both on the outside and more importantly on the inside in order to provide the highest corrosion resistance standards which is, as we all know one of the main reasons why air tanks fail.

Typical tests carried out during powder painting process include;

Paint layer (coating) thickness tests

Brightness test

Impact test

Salt spray test

Cross-cut test



## ABS Sensör Dişlileri / ABS Sensor Gears



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Diş <i>Teeth</i>	Bilgi <i>Information</i>	Araç Bilgisi <i>Applications</i>
W 500 00010	0331008510	1	100	125x156 / 165x9 - SAC	DORSE / TRAILER
W 500 00012	4029106300	2	90	116x151 / 160x19 - SAC	SAF
W 500 00014	0331009380	3	100	125x156 / 165x9 - DÖKÜM	DORSE / TRAILER
W 500 00016	0331008880	4	80	125x156 / 165x9 - DÖKÜM	DORSE / TRAILER
W 500 00022	9763560015	5	80	139x148 / 175x18 - SAC	MERCEDES ATEGO
W 500 00024	9433340115	6	100	140x170 / 178x14 - SAC	MERCEDES AXOR (ÖN Y.M.)
W 500 00026	9423560715 - 0315 - 0015	7	100	154x175 / 197x16 - SAC	MERCEDES AXOR (ARKA Y.M.)
W 500 00028	6C462B384AB - T171531	8	100	135x150 / 145x14 - DÖKÜM	FORD CARGO (ÖN)
W 500 00030	6C462B384BB - T171533	9	100	209x225 / 216x22 - DÖKÜM	FORD CARGO (ARKA)
W 500 00032	1805821 - 1391515	10	100	117x147x12.50 - SAC	DAF (ÖN)
W 500 00034	1805823 - 1391517	11	100	168x183 / 212x18 - SAC	DAF (ARKA)
W 500 00036	1805824 - 1657638	12	100	168x183 / 212x18 - SAC	DAF (ARKA E.M.)
W 500 00042	1442300 - 1339680	13	100	125x165x8.6 - DÖKÜM	SCANIA (ÖN)
W 500 00044	1442296	14	100	170x190 / 175x19 - DÖKÜM	SCANIA (ARKA)
W 500 00046	1788291	15	100	173x192 / 175x12.75 - DÖKÜM	SCANIA (ARKA Y.M.)
W 500 00052	1076760	16	100	131.7x146x12.70 - DÖKÜM	VOLVO (ÖN)
W 500 00054	20424109	17	100	142.6x164x7.75 - DÖKÜM	VOLVO - RENAULT (ARKA)
W 500 00062	1075889 - 8156339	18	100	153.6x158.5x15.75 - SAC	RENAULT (ÖN)

## Fren Körükleri / Brake Chambers



Ürün No Product No	Referans No Alt. Ref. No	Tip Type	Bilgi Information
<b>W 510 00160</b>	423 104 6** 0	<b>A</b>	SERVİS FREN KÖRÜĞÜ / BRAKE CHAMBER - TYPE 16
<b>W 510 00161</b>	423 104 900 0	<b>B</b>	SERVİS FREN KÖRÜĞÜ / BRAKE CHAMBER - TYPE 16
<b>W 510 00201</b>	423 105 900 0	<b>B</b>	SERVİS FREN KÖRÜĞÜ (YENİ GÖVDE) / BRAKE CHAMBER - TYPE 20
<b>W 510 00240</b>	423 106 11* 0	<b>A</b>	SERVİS FREN KÖRÜĞÜ / BRAKE CHAMBER - TYPE 24
<b>W 510 00241</b>	423 106 900 0	<b>B</b>	SERVİS FREN KÖRÜĞÜ ( YENİ GÖVDE ) / BRAKE CHAMBER - TYPE 24
<b>W 510 00300</b>	423 107 1** 0	<b>A</b>	SERVİS FREN KÖRÜĞÜ / BRAKE CHAMBER - TYPE 30
<b>W 510 00301</b>	423 107 900 0	<b>B</b>	SERVİS FREN KÖRÜĞÜ ( YENİ GÖVDE ) / BRAKE CHAMBER - TYPE 30
<b>W 510 00360</b>	-----	<b>C</b>	KALDIRMA KÖRÜĞÜ / BRAKE CHAMBER - TYPE 36
<b>W 530 00160</b>	423 504 012 0	<b>D</b>	DİSK SERVİS FREN KÖRÜĞÜ / BRAKE CHAMBER FOR DISC - TYPE 16
<b>W 530 00200</b>	423 505 000 0	<b>D</b>	DİSK SERVİS FREN KÖRÜĞÜ / BRAKE CHAMBER FOR DISC - TYPE 20
<b>W 530 00240</b>	423 506 001 0	<b>D</b>	DİSK SERVİS FREN KÖRÜĞÜ / BRAKE CHAMBER FOR DISC - TYPE 24
<b>W 530 00300</b>	423 507 000 0	<b>D</b>	DİSK SERVİS FREN KÖRÜĞÜ / BRAKE CHAMBER FOR DISC - TYPE 30



Ürün No Product No	Referans No Alt. Ref. No	Tip Type	Bilgi Information
<b>W 519 55010</b>	FK 380 51010	<b>A</b>	PISTON TYPE HYDRO PNEUMATIC ACTUATOR Ø170 MM
<b>W 519 55020</b>	FK 395 05010	<b>B</b>	HYDRAULIC RESERVOIR: CAPACITY - 260 CM <sup>3</sup>

**İmdatlı Fren Körükleri / Spring Brake Actuators**


Ürün No Product No	Referans No Alt. Ref. No	Bilgi Information
<b>W 550 02424</b>	---	i.F.K / SPRING BRAKE ACTUATOR TYPE 24/24 D/D
<b>W 550 02430</b>	925 361 100 0	i.F.K / SPRING BRAKE ACTUATOR TYPE 24/30 D/D
<b>W 550 03030</b>	925 362 100 0	i.F.K / SPRING BRAKE ACTUATOR TYPE 30/30 D/D

A



B



C



Ürün No Product No	Referans No Alt. Ref. No	Tip Type	Bilgi Information
<b>W 560 01624</b>	925 324 0** 0	<b>A</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 16/24 D/P
<b>W 560 02020</b>	925 450 040 0	<b>A</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 20/20 D/P
<b>W 560 02424</b>	925 321 *** 0	<b>A</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 24/24 D/P
<b>W 560 02430</b>	925 321 4** 0	<b>A</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 24/30 D/P
<b>W 560 03024</b>	925 322 6** 0	<b>A</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 30/24 D/P
<b>W 560 03030</b>	925 322 *** 0	<b>A</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 30/30 D/P
<b>W 561 02424</b>	925 321 202 0	<b>B</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 24/24 D/P - M22*1.5
<b>W 562 01624</b>	925 494 041 0	<b>C</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 16/24 D/P - M22*1.5
<b>W 562 02024</b>	925 490 102 0	<b>C</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 20/24 D/P - M22*1.5
<b>W 562 02424</b>	925 491 141 0	<b>C</b>	i.F.K. / SPRING BRAKE ACTUATOR - TYPE 24/24 D/P - M16*1.5



Ürün No Product No	Referans No Alt. Ref. No	Bilgi Information
<b>W 569 65170</b>	BZ6517 FK 480 65170	i.F.K. / SPRING BRAKE ACTUATOR SERVICE BRAKE DIAMETER : 115 MM
<b>W 569 66210</b>	BZ6621 FK 480 66210	i.F.K. / SPRING BRAKE ACTUATOR SERVICE BRAKE DIAMETER : 125 MM


## İmdatlı Fren Körükleri / Spring Brake Actuators



Ürün No Product No	Referans No Alt. Ref. No	Bilgi Information
<b>W 570 09620</b>	925 426 062 0	İ.F.K. / SPRING BRAKE ACTUATOR - TYPE 9*6200 WEDGE BRAKES
<b>W 570 12620</b>	925 354 050 0	İ.F.K. / SPRING BRAKE ACTUATOR - TYPE 12*6200 WEDGE BRAKES



Ürün No Product No	Referans No Alt. Ref. No	Tip Type	Bilgi Information
<b>W 580 01624</b>	925 464 02* 0	<b>A</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 16/24 D/P
<b>W 580 02424</b>	925 461 00* 0	<b>A</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 24/24 D/P
<b>W 580 02430</b>	925 461 32* 0	<b>A</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 24/30 D/P
<b>W 581 01624</b>	BS8320	<b>B</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 16/24 D/P
<b>W 581 02024</b>	BS94**	<b>B</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 20/24 D/P
<b>W 581 02424</b>	BS95**	<b>B</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 24/24 D/P
<b>W 582 01624</b>	925 484 020 0	<b>C</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 16/24 D/P
<b>W 582 02024</b>	925 480 010 0	<b>C</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 20/24 D/P
<b>W 582 02424</b>	925 481 270 0	<b>C</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 24/24 D/P
<b>W 582 02430</b>	-----	<b>C</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 24/30 D/P



Ürün No Product No	Referans No Alt. Ref. No	Tip Type	Bilgi Information
<b>W 590 01624</b>	925 384 010 0	<b>A</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 16/24 D/D
<b>W 590 91624</b>	925 384 050 2	<b>B</b>	DİSK İ.F.K. BORUSU / DISC PIPE EXTENSION KIT - TYPE 16/24 D/D
<b>W 590 02024</b>	925 380 101 0	<b>C</b>	DİSK İ.F.K. / SPRING BRAKE ACTUATOR FOR DISC - TYPE 20/24 D/D

## Fren Cırcırları / Slack Adjusters



Ürün No Product No	Referans No Alt. Ref. No	Tip Type	Bilgi Information
<b>W 599 47001</b>	KN47001 278323	<b>B</b>	3 HOLES - OF SPLINE TEETH:10
<b>W 599 47004</b>	100001027 0517454700	<b>B</b>	4 HOLES - OF SPLINE TEETH:10
<b>W 599 47005</b>	100001721 0517452610	<b>B</b>	5 HOLES - OF SPLINE TEETH:10
<b>W 599 47006</b>	517465220	<b>B</b>	6 HOLES - OF SPLINE TEETH:10
<b>W 599 47007</b>	100001760 0517465130	<b>B</b>	7 HOLES - OF SPLINE TEETH:10
<b>W 599 48000</b>	14505 - 80022	<b>A</b>	AUTOMATIC BRAKE ADJUSTER
<b>W 598 01010</b>	05.397.26.03.0	<b>C</b>	SHORT
<b>W 598 01020</b>	05.397.26.05.0	<b>C</b>	LONG

## KNORR EBS



Tip Type	Ürün No Product No
<b>1</b>	K055342V00
<b>2</b>	K002276
<b>3</b>	K027832/4000

Tip Type	Ürün No Product No
<b>4</b>	K015384N00
<b>5</b>	K001406
<b>6</b>	SV3200/II36145

Tip Type	Ürün No Product No
<b>7</b>	K135385
<b>8</b>	K019288A2
<b>9</b>	K141700N00

Tip Type	Ürün No Product No
<b>10</b>	K000954/ K001298
<b>11</b>	K000952/K0746
<b>12</b>	0 486 000 126

## WABCO EBS




Tip Type	Ürün No Product No	Tip Type	Ürün No Product No	Tip Type	Ürün No Product No	Tip Type	Ürün No Product No	Tip Type	Ürün No Product No
1	480 102 063 0	4	449 723 030 0	7	952 201 011 0	10	449 173 120 0	13	433 401 003 0
2	449 413 050 0	5	464 006 201 0	8	952 201 012 0	11	441 032 808 0		
3	463 084 041 0	6	971 002 912 0	9	463 032 020 0	12	899 760 510 4		

## WABCO ABS



Tip Type	Ürün No Product No	Tip Type	Ürün No Product No	Tip Type	Ürün No Product No
1	400 500 081 0	3	441 712 040 0	5	899 760 510 4
2	449 126 120 0	4	441 032 808 0	6	813 000 017 3

## Dorse Ekipmanları / Trailer Equipments



Tip Type	Ürün No Product No	Referans No Alt. Ref. No	Bilgi Information
1	W 700 17120	KZ-1008	KİNG PİMİ / KING PIN - 2"
2	W 700 17130	KZ-1410	KİNG PİMİ / KING PIN - 3 $\frac{1}{2}$ "
3	W 700 11000	----	DORSE AYAĞI / TRAILER LANDING GEAR
4	W 700 12003	----	STEPNE TAŞIYICI PILOT / SPARE TIRE CARRIER PILOT
5	W 700 12009	----	STEPNE TAŞIYICI BORU TİPİ / SPARE WHEEL CARRIER TUBE
8	W 700 60***	----	DORSE MAKAS ÇEŞİTLERİ / TRAILER PARABOLIC
9	W 700 61***	----	DORSE KULAK ÇEŞİTLERİ / TRAILER HANGER BRACKET
11	W 700 55***	----	DORSE AMORTİSÖR ÇEŞİTLERİ / TRAILER SHOCK ABSORBER

## Dorse Aksesuarları / Trailer Accessory



Tip Type	Ürün No Product No	Bilgi Information
1	W 700 20060	TOOL BOX - 60 CM
1	W 700 20080	TOOL BOX - 80 CM
1	W 700 20100	TOOL BOX - 100 CM
2	W 700 50012	SINGLE WHEEL MUDGUARD - PLASTIC
3	W 700 50112	HALF MUDGUARD DOUBLE TYPE - PLASTIC
3	W 700 50122	HALF MUDGUARD DOUBLE TYPE - PLASTIC
4	W 700 19500	FIRE EXTINGUISHER BOX - PLASTIC
5	W 700 50022	DOUBLE TYPE MUDGUARD - PLASTIC

Tip Type	Ürün No Product No	Bilgi Information
6	W 700 18500	TRAILER WHEEL CHOCK - PLASTIC
7	W 510 23030	WATER TANK PLASTIC - 30 LT
7	W 700 23050	WATER TANK PLASTIC - 50 LT
8	W 700 21025	WATER TANK METAL - 25 LT
8	W 700 21035	WATER TANK METAL - 35 LT
8	W 510 21060	WATER TANK METAL - 60 LT
8	W 700 21070	WATER TANK METAL - 70 LT
8	W 700 21090	WATER TANK METAL - 90 LT

## Dorse Ekipmanları / Trailer Equipments



Tip Type	Ürün No Product No	Bilgi Information
1	W 700 15110	ALUMINUM GUARD - 110 CM
1	W 700 15115	ALUMINUM GUARD - 115 CM
1	W 700 15130	ALUMINUM GUARD - 130 CM
1	W 700 15150	ALUMINUM GUARD - 150 CM
1	W 700 15170	ALUMINUM GUARD - 170 CM
1	W 700 15220	ALUMINUM GUARD - 220 CM
1	W 700 15300	ALUMINUM GUARD - 300 CM
1	W 700 15600	ALUMINUM GUARD - 600 CM
2	W 700 50331	MUDGUARD BRACKETS - SINGLE
2	W 700 50431	MUDGUARD BRACKETS - DUAL
3	W 700 50227	FENDER CONNECTION - PLASTIC
4	W 700 50225	FENDER CONNECTION - METAL
5	W 700 15101	GUARD CORNER - ALUMINUM
6	W 700 15102	GUARD CORNER - PLASTIC
7	W 700 14057	GUARD RAIL - 57 CM
7	W 700 14073	GUARD RAIL - 73 CM
8	W 700 12500	CONTAINER LOCK

## Dorse Elektrik Aydınlatma Seti / Trailer Electric Lighting Set



Ürün No Product No	<b>W 700 16010</b>
Referans No Alt. Ref. No	630 210 490 756 00
Bilgi Information	KARIA LAMP SET - W/ADR

## Dorse Elektrik Ekipmanları / Trailer Electric Equipments



Tip Type	Ürün No Product No	Bilgi Information
<b>1</b>	<b>W 700 34300</b>	ABS / POWER CABLE - DOUBLE
<b>2</b>	<b>W 700 34114</b>	CAPPED TRAILER PLUG - S TYPE
<b>3</b>	<b>W 700 34085</b>	POWER CABLE PLUG - S TYPE
<b>4</b>	<b>W 700 34405</b>	ABS CABLE PLUG - 5 PLUG
<b>4</b>	<b>W 700 34407</b>	ABS CABLE PLUG - 7 PLUG
<b>4</b>	<b>W 700 34415</b>	ABS CABLE PLUG - 15 PLUG

Tip Type	Ürün No Product No	Bilgi Information
<b>5</b>	<b>W 700 34080</b>	POWER CABLE PLUG
<b>6</b>	<b>W 700 34112</b>	CAPPED TRAILER PLUG
<b>7</b>	<b>W 700 34015</b>	POWER CABLE - S TYPE
<b>8</b>	<b>W 700 34205</b>	ABS CABLE - 5 PLUG
<b>8</b>	<b>W 700 34207</b>	ABS CABLE - 7 PLUG
<b>8</b>	<b>W 700 34215</b>	ABS CABLE - 15 PLUG
<b>9</b>	<b>W 700 34010</b>	POWER CABLE - N TYPE




## Polyemid Hortum / Polyamide Hose






Tip Type	Ürün No Product No	Bilgi Information
<b>1</b>	<b>W 700 32006</b>	100 M 6x4 MM
<b>1</b>	<b>W 700 32008</b>	100 M 8x6 MM
<b>1</b>	<b>W 700 32010</b>	100 M 10x8 MM
<b>1</b>	<b>W 700 32012</b>	100 M 12x9 MM
<b>1</b>	<b>W 700 32015</b>	100 M 15x12 MM
<b>1</b>	<b>W 700 32016</b>	100 M 16x12 MM
<b>1</b>	<b>W 700 32018</b>	100 M 18x14 MM
<b>2</b>	<b>W 700 33010</b>	RED
<b>3</b>	<b>W 700 33020</b>	YELLOW

VEHICLES AND ALTERNATIVE REFERENCE NUMBERS ARE STATED FOR IDENTIFICATION PURPOSES ONLY THEY SHOULD NOT BE USED IN DELIVERY NOTES AND INVOICES.



**Çekici ve Kamyon Hava Tüpleri / Turck Air Reservoirs**
**W 88040**
**AIR TANK**
**HAVA TANKI**


OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2 mm	WEIGHT KG	SCREW TYPE	TYPE / TİP
1505413	15,5 bar	10	206 mm	370 / 190 mm	5,9 kg	M22x1,5	(●) - (●) - (●) - (●)

**DAF**
**W 88056**
**AIR TANK**
**HAVA TANKI**





OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2 mm	WEIGHT KG	SCREW TYPE	TYPE / TİP
1505414	15,5 bar	20	206 mm	692 / 351 mm	9,9 kg	M22x1,5	(●) - (●) - (●) - (●)

## DAF

**W 88069**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
1505415	15,5 bar	20	246 mm	500 / 255 mm	8,9 kg	M22x1,5	

## DAF

**W 88078**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
1227891	12,5 bar	20	246 mm	533 / 287 mm	9,3 kg	M22x1,5	
1616334							
1733546							

## DAF

**W 88086**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1616333	12,5 bar	25	246 mm	619 / 343 mm	10,6 kg	M22x1,5	

## DAF

**W 88088**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1694140	12,5 bar	25	246 mm	625 / 352 mm	12,2 kg	M22x1,5	

## DAF

**W88090**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	WIDTH L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1506425	15,5 bar	30	246 mm	709 / 359 mm	12 kg	M22x1,5	

## DAF

**W88101**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	WIDTH L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1505416	15,5 bar	40	246 mm	927 / 468 mm	15,4 kg	M22x1,5	

## DAF

**W88138**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
BBU1321	12,5 bar	40	276 mm	745 / 377 mm	13,8 kg	M22x1,5	(●) (●) (●) (●)

## DAF

**W88139**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1506426	12,5 bar	40	276 mm	760 / 385 mm	14,5 kg	M22x1,5	(●) (●) (●) (●)

## DAF

**W 88147**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE LITER LITRE	DIA $\varnothing$	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1505417	15,5 bar	60	276 mm 1108 / 559 mm	20,5 kg	M22x1,5	(●) (---) (●)

## DAF

**W 88150**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE LITER LITRE	DIA $\varnothing$	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1227887	12,5 bar	20	300 mm 373 / 187 mm	8,5 kg	M22x1,5	(●) (---) (●)
1233666						
1616331						
501207						

## DAF

**W88155**

AIR TANK

HAVA TANKI




OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
1227888	12,5 bar	36	300 mm	609 / 334 mm	12,8 kg	M22x1,5	
1616332							
1733544							

## DAF

**W88156**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
1696171	12,5 bar	36	300 mm	609 / 200 mm	13,1 kg	M22x1,5	

## DAF

**W88157**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW SIZE	TYPE / TİP
1685296	12,5 bar	36	300 mm	609 / 191 mm	16,8 kg	M22x1,5	
1691625							

## DAF

**W88158**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW SIZE	TYPE / TİP
6310280	12,5 bar	45	300 mm	748 / 374 mm	15,5 kg	M22x1,5	

## DAF

**W88173**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE LITRE	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
1506421	12,5 bar	60	310 mm	895 / 452 mm	19,9 kg	M22x1,5	(Spare Part)

## DAF

**W88182**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE LITRE	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
1505422	12,5 bar	60	396 mm	580 / 295 mm	20,1 kg	M22x1,5	(Spare Part)
1524577							
1935518							

## HALDEX

**W88099**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE LITRE	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
030001319D	15,5 bar	37	246 mm	850 / 430 mm	14,3 kg	M22x1,5	

## IVECO

**W88013**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE LITRE	LITER LITRE	Ø	L	WEIGHT	SCREW	TYPE / TİP
500404034	20 bar	5	154 mm	341 / 171 mm	6,5 kg	M22x1,5	
504047686							
504197584							
5949779739							
98480826							
98492453							

IVECO

**W 88046**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW	TYPE / TİP
4803545	15,5 bar	15	206 mm	526 / 268 mm	7,8 kg	M22x1,5	
504047697							
504197586							
5949780684							
98480832							

IVECO

**W 88085**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW	TYPE / TİP
504197589	15,5 bar	25	246 mm	610 / 310 mm	10,6 kg	M22x1,5	
5801544994							

**IVECO**

**W88093**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	BAROMETRE	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
504197590 5949779746	15,5 bar	30	246 mm	720 / 365 mm	12,2 kg	M22x1,5	

**IVECO**

**W88187**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	BAROMETRE	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
504197591 5801545818	12,5 bar	80	396 mm	750 / 380 mm	25 kg	M22x1,5	

## KÖGEL

**W88174**

### AIR TANK

HAVA TANKI




OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
115483	12,5 bar	80	310 mm	1150 / 580 mm	23,9 kg	M22x1,5	(Spare Part)

## KRONE

**W88186**

### AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
505821336	10 bar	80	396 mm	750 / 380 mm	26,9 kg	M22x1,5	(Spare Part)

## MAN

W 88010

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
81514010037	12,5 bar	4	154 mm	273 / 143 mm	2,5 kg	M22x1,5	
81514010078							
81514010114							
81514010120							
81514010194							
81514010224							
81515010120							
83514010515							

## MAN

W 88028

AIR TANK

HAVA TANKI




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
81514010179	12,5 bar	8	206 mm	294 / 154 mm	5 kg	M22x1,5	
81514010203							
81514010237							
81514010248							
81514010252							
81514016016							

## MAN

W 88051

AIR TANK

HAVA TANKI




OEM / COMPARISON NO	PRESSURE LITER LITRE	LITER LITRE	DIA $\varnothing$	L1 / L2	WEIGHT KG	SCREW SIZE	TYPE / TİP
81514010128	15,5 bar	20	206 mm	674 / 342 mm	9,7 kg	M22x1,5	
81514010202							

## MAN

W 88069

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE LITER LITRE	LITER LITRE	DIA $\varnothing$	L1 / L2	WEIGHT KG	SCREW SIZE	TYPE / TİP
88514016204	15,5 bar	20	246 mm	500 / 255 mm	8,9 kg	M22x1,5	

## MAN

**W 88071**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
81514010129	15,5 bar	20	246 mm	498 / 249 mm	8,6 kg	M22x1,5	
81514010207							

## MAN

**W 88074**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
81514010026	15,5 bar	20	246 mm	506 / 258 mm	9,1 kg	M22x1,5	

## MAN

**W 88079**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE LITER LİTRE	LITER LİTRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
81514010024	15,5 bar	25	246 mm	590 / 300 mm	10 kg	M22x1,5	
81514010032							
81514010062							
81514010084							
81514010150							
82514015004							

## MAN

**W 88097**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE LITER LİTRE	LITER LİTRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
81514010133	12,5 bar	30	246 mm	730 / 370 mm	12,4 kg	M22x1,5	
81514010212							
83514010512							
83514015005							
83514015012							
83514015503							
83514015507							
83514016502							

## MAN

**W88139**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW	TYPE / TİP
81514010019	12,5 bar	40	276 mm	760 / 385 mm	14,5 kg	M22x1,5	
81514010145							

## MAN

**W88162**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW	TYPE / TİP
81514010228	12,5 bar	20	310 mm	324 / 169 mm	8,1 kg	M22x1,5	
81514010238							
81514010257							
81514016029							

## MAN

**W88164**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖	coil icon	TYPE / TİP
81514010180	12,5 bar	30	310 mm	462 / 238 mm	10,8 kg	M22x1,5	
81514010204							
81514010239							
81514010249							
81514010253							
81514016013							

## MAN

**W88167**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖	coil icon	TYPE / TİP
81514010259	12,5 bar	35	310 mm	529 / 190 mm	12 kg	M22x1,5	
81514016038							
81514016156							

## MAN

W88179

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
81514010232	12,5 bar	30	396 mm	345 mm	13,2 kg	M22x1,5	(●) (L) (●)
81514010233							
81514010242							
81514016033							

## MAN

W88170

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
81514010182	12,5 bar	40	310 mm	605 / 310 mm	13,5 kg	M22x1,5	(●) (L) (●) (●)
81514010206							
81514010241							
81514016015							

## MAN

**W88182**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	BAR	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
88514016219	10 bar	60	396 mm	580 / 295 mm	20,1 kg	M22x1,5	(Front View) (Side View) (Top View)

## MERCEDES BENZ

**W88005**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	BAR	LITER LITRE	Ø	L	WEIGHT	SCREW	TYPE / TİP
0044320501	15,5 bar	4	144 mm	321 mm	3,4 kg	M22x1,5	(Front View) (Side View) (Top View)
0054323001							
0064323401							

## MERCEDES BENZ

**W 88006**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / LITER LITRE	DIA / Ø	L1 / L2	WEIGHT / KG	SCREW / SILİKLİ	TYPE / TİP
0054323101	15,5 bar	5,4	144 mm	412 / 206 mm	4,3 kg	M22x1,5
0064323501						
0044320601						

## MERCEDES BENZ

**W 88007**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / LITER LITRE	DIA / Ø	L1 / L2	WEIGHT / KG	SCREW / SILİKLİ	TYPE / TİP
0034320601	15,5 bar	6	144 mm	453 / 227 mm	4,7 kg	M22x1,5
0054322001						

## MERCEDES BENZ

**W88034**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	→ ← L1 / L2	WEIGHT KG	SCREW MATERIAL	TYPE / TİP
0004323101	15,5 bar	10	206 mm	368 / 189 mm	5,6 kg	M22x1,5	

## MERCEDES BENZ

**W88039**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	→ ← L1 / L2	WEIGHT KG	SCREW MATERIAL	TYPE / TİP
0044320801	15,5 bar	10	206 mm	366 / 190 mm	5,9 kg	M22x1,5	
0054323301							
0064323701							

## MERCEDES BENZ

**W 88040**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0034320801	15,5 bar	10	206 mm	370 / 190 mm	5,9 kg	M22x1,5	
0074321101							

## MERCEDES BENZ

**W 88053**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0054324201	15,5 bar	20	206 mm	677 / 345 mm	9,9 kg	M22x1,5	
0064323801							

## MERCEDES BENZ

**W88056**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LİTRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0004322001	15,5 bar	20	206 mm	692 / 351 mm	9,9 kg	M22x1,5	
0034321101							
0064329801							

## MERCEDES BENZ

**W88060**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LİTRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0044320701	15,5 bar	7,5	246 mm	228 / 121 mm	4,9 kg	M22x1,5	
0054323201							
0064324001							

## MERCEDES BENZ

**W 88062**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0034324101	15,5 bar	10	246 mm	277	5,5 kg	M22x1,5	
0064328001							
0064324201							

## MERCEDES BENZ

**W 88069**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0004323201	15,5 bar	20	246 mm	495 / 252 mm	8,9 kg	M22x1,5	
0004324301							

## MERCEDES BENZ

**W88070**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0044321901	15,5 bar	20	246 mm	497 / 255 mm	9 kg	M22x1,5	
0054323401							
0064324301							

## MERCEDES BENZ

**W88084**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0044324201	15,5 bar	25	246 mm	605 / 310 mm	11,4 kg	M22x1,5	
0054323801							
0064324401							

## MERCEDES BENZ

**W88075**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW	TYPE / TİP
0004324801	12,5 bar	20	246 mm	500 / 128 mm	8,9 kg	M22x1,5	
0004325101							
0014327501							
0024320001							
0034321201							
0034321301							

## MERCEDES BENZ

**W88090**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW	TYPE / TİP
0004322601	15,5 bar	30	246 mm	709 / 359 mm	12 kg	M22x1,5	
0004322801							
0014326901							
0034321801							

## MERCEDES BENZ

**W88092**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0034323201	15,5 bar	30	246 mm	715 / 365 mm	12,3 kg	M22x1,5	
0054322301							
0064324501							

## MERCEDES BENZ

**W88101**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0004322101	15,5 bar	40	246 mm	927 / 468 mm	15,4 kg	M22x1,5	
0034322301							

## MERCEDES BENZ

**W88102**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE / BAR	LITER / LITRE	DIA / Ø	L1 / L2	WEIGHT / KG	SCREW	TYPE / TİP
0044320001	15,5 bar	40	246 mm	932 / 473 mm	15,5 kg	M22x1,5	
0054322901							
0064324701							

## MERCEDES BENZ

**W88106**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / BAR	LITER / LITRE	DIA / Ø	L1 / L2	WEIGHT / KG	SCREW	TYPE / TİP
0054323701	15,5 bar	60	246 mm	1369 / 691 mm	22,2 kg	M22x1,5	
0064324901							

## MERCEDES BENZ

**W88114**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
0044323101	15,5 bar	20	276 mm	411 / 254 mm	8,5 kg	M22x1,5	(3 holes) (car) (circle)
0054323601							
0064325201							

## MERCEDES BENZ

**W88122**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
0034329401	15,5 bar	25	276 mm	488 / 251 mm	10 kg	M22x1,5	(3 holes) (car) (circle)
0054322601							
0064325301							

## MERCEDES BENZ

W88129

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE LITER LITRE	LITER LITRE	DIA $\varnothing$	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
0044324301	15,5 bar	30	276 mm	589 / 302 mm	11,7 kg	M22x1,5	
0054323901							
0064325501							

## MERCEDES BENZ

W88131

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE LITER LITRE	LITER LITRE	DIA $\varnothing$	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
0004328801	15,5 bar	30	276 mm	580 / 297 mm	10,7 kg	M22x1,5	
0014320201							
0024320801							
0034322001							
0034322101							
0054322201							
0064325401							

## MERCEDES BENZ

W88132

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0034329501	15,5 bar	35	276 mm	663 / 339 mm	12,9 kg	M22x1,5	
0054322701							
0064325601							

## MERCEDES BENZ

W88137

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0034323901	15,5 bar	40	276 mm	758 / 386 mm	14,5 kg	M22x1,5	
0054322501							
0064325701							

## MERCEDES BENZ

**W 88139**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
0034322501	12,5 bar	40	276 mm	760 / 385 mm	14,5 kg	M22x1,5	(●) (L) (•) (R) (●)

## MERCEDES BENZ

**W 88140**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
0004321001	15,5 bar	40	276 mm	758 / 384 mm	14,4 kg	M22x1,5	(●) (L) (•) (R) (●)

## MERCEDES BENZ

**W 88143**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
0034329901	15,5 bar	45	276 mm	844 / 429mm	16 kg	M22x1,5	
0054322801							
0064325801							

## MERCEDES BENZ

**W 88147**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
0034322701	15,5 bar	60	276 mm	1108 / 559 mm	20,5 kg	M22x1,5	

## MERCEDES BENZ

**W 88148**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0004321101	12,5 bar	85	276 mm	1502 / 756 mm	27 kg	M22x1,5	(●) (●) (●)

## MERCEDES BENZ

**W 88149**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
0004326501	12,5 bar	20	276 mm	390 / 200 mm	8,2 kg	M22x1,5	(●) (●) (●)
0034321401							

## NEOPLAN

**W 88090**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / BAR	LITER LITRE	DIA / Ø	L1 / L2	WEIGHT / KG	SCREW / SERTİ	TYPE / TİP
07030030	15,5 bar	30	246 mm	709 / 359 mm	12 kg	M22x1,5	

## NEOPLAN

**W 88170**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / BAR	LITER LITRE	DIA / Ø	L1 / L2	WEIGHT / KG	SCREW / SERTİ	TYPE / TİP
81514010241	12,5 bar	40	310 mm	605 / 310 mm	13,5 kg	M22x1,5	

## RENAULT

**W 88043**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	LENTH / WIDTH L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
7420579600	15 bar	15	206 mm	515 / 359 mm	7,7 kg	M22x1,5	(●) (D) (●)

## RENAULT

**W 88049**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	LENTH / WIDTH L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
7420904405	15 bar	15	206 mm	550 / 282 mm	8,2 kg	M22x1,5	(●) (D) (●) (●)

## RENAULT

**W88080**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / ÇALIŞMA	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
7420904407	15 bar	25	246 mm	588 / 301 mm	10,3 kg	M22x1,5	

## RENAULT

**W88101**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / ÇALIŞMA	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
0038437700 74320101	15,5 bar	40	246 mm	927 / 468 mm	15,4 kg	M22x1,5	

## RENAULT

**W88108**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
5010525445	13 bar	25	250 mm	597 / 299 mm	10,2 kg	M22x1,5	(Front) (Side) (Rear)

## RENAULT

**W88109**

AIR TANK

HAVA TANKI




OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
5010525447	13 bar	30	250 mm	705 / 353 mm	12,2 kg	M22x1,5	(Front) (Side) (Rear)

**RENAULT**

**W88110**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
5010525446	13 bar	30	250 mm	705/293 mm	12,5 kg	M22x1,5	

**RENAULT**

**W88116**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
5021170381	15,5 bar	20	276 mm	412 / 211 mm	8,6 kg	M22x1,5	

## RENAULT

**W88120**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
7420579604	15 bar	25	276 mm	490 / 121 mm	10 kg	M22x1,5	

## RENAULT

**W88136**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
5010525149	15 bar	40	276 mm	740 / 208 mm	14,4 kg	M22x1,5	

## RENAULT

**W88154**

### AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
5010525418	13 bar	30	300 mm	515 mm	11,1 kg	M22x1,5	

## RENAULT

**W88161**

### AIR TANK

HAVA TANKI




OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1518200 5021170393	12,5 bar	60	300 mm	966 / 483 mm	19,5 kg	M22x1,5	

## RENAULT

**W88180**

### AIR TANK

### HAVA TANKI




OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
7421187795	15 bar	39	396 mm	417 / 208 mm	15,1 kg	M22x1,5	

## SCANIA

**W88017**

### AIR TANK

### HAVA TANKI




OEM / COMPARISON NO	PRESSURE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
1360400 1383853	14,5 bar	7,4	154 mm	486 / 243 mm	5,2 kg	M22x1,5	

## SCANIA

**W 88024**

### AIR TANK

### HAVA TANKI




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9501100020	15,5 bar	6	206 mm	241 / 125 mm	4,2 kg	M22x1,5	

## SCANIA

**W 88042**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
1445452 1792544	14,5 bar	15	206 mm	513 / 171 mm	7,5 kg	M22x1,5	

## SCANIA

**W88045**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1360401	14,5 bar	15	206 mm	526 / 263 mm	7,6 kg	M22x1,5	(●) (■) (□)

## SCANIA

**W88068**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
1332534	14 bar	16	246 mm	410 / 210 mm	7,2 kg	M22x1,5	(●) (■) (□)
1332535							
1377865							
370199							
370201							

## SCANIA

**W88089**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2 mm	WEIGHT KG	SCREW TYPE	TYPE / TİP
1332532	15,5 bar	27	246 mm	645 / 464 mm	11,1 kg	M22x1,5	
1332533							
1377864							
370203							
370204							
370205							

## SCANIA

**W88125**

### AIR TANK

### HAVA TANKI




OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2 mm	WEIGHT KG	SCREW TYPE	TYPE / TİP
1357950	14,5 bar	30	276 mm	568 / 388 mm	10,1 kg	M22x1,5	
1383777							
488217							

## SCANIA

**W88165**

### AIR TANK

HAVA TANKI




OEM / COMPARISON NO	BAROMETER	LITER LITRE	Ø	↔ L1 / L2	WEIGHT	TYPE	TYPE / TİP
1778889	14,5 bar	30	310 mm	483 / 349 mm	11,2 kg	M22x1,5	

## SCANIA

**W88168**

### AIR TANK

HAVA TANKI






OEM / COMPARISON NO	BAROMETER	LITER LITRE	Ø	↔ L1 / L2	WEIGHT	TYPE	TYPE / TİP
1448884	14,5 bar	36	310 mm	563 / 407 mm	12,7 kg	M22x1,5	

## SCANIA

**W88173**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2 mm	WEIGHT KG	SCREW TYPE	TYPE / TİP
1935517	12,5 bar	60	310 mm	895 / 452 mm	16,8 kg	M22x1,5	(Screw icons)

## SCANIA

**W88188**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2 mm	WEIGHT KG	SCREW TYPE	TYPE / TİP
1935520	10 bar	100	396 mm	915 / 462 mm	29,9 kg	M22x1,5	(Screw icons)

## SCHMITZ

**W88173**

AIR TANK

HAVA TANKI





OEM / COMPARISON NO	PRESSURE LITER LITRE	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
050459	12,5 bar	60	310 mm	895 / 452 mm	16,8 kg	M22x1,5	(●) (●) (●) (●)

## SCHMITZ

**W88175**

AIR TANK

HAVA TANKI




OEM / COMPARISON NO	PRESSURE LITER LITRE	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
1189864	12,5 bar	80	310 mm	1157 / 1014 mm	25	M22x1,5	(●) (●) (●) (●)

## SCHMITZ

**W88185**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	BAROMETER	LITER LITRE	DIA Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
1009330	10 bar	80	396 mm	743 / 340 mm	26 kg	M22x1,5	
115826							
1189863							
1193012							
1219118							

## VOLVO

**W88026**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	BAROMETER	LITER LITRE	DIA Ø	L	WEIGHT	SCREW	TYPE / TİP
20579593	15,5 bar	6	206 mm	242 mm	3,9 kg	M22x1,5	

## VOLVO

**W 88043**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	LENTH / WIDTH L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
20579600	15 bar	15	206 mm	515 / 359 mm	7,7 kg	M22x1,5	(●) (D) (●)

## VOLVO

**W 88049**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	LENTH / WIDTH L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
20904405	15 bar	15	206 mm	550 / 282 mm	8,2 kg	M22x1,5	(●) (D) (●) (●)

## VOLVO

**W88057**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE LITER LITRE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
20850902 3117304	15,5 bar	30	206 mm	992 / 501 mm	13,8 kg	M22x1,5	(Screw icons)

## VOLVO

**W88064**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE LITER LITRE	LITER LITRE	DIA Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
21048245 21048254	15 bar	15	246 mm	370 / 190 mm	7 kg	M22x1,5	(Screw icons)

## VOLVO

**W88067**

### AIR TANK

### HAVA TANKI




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
20772295	15 bar	15	246 mm	399 / 117 mm	7,4 kg	M22x1,5	

## VOLVO


**W88080**


### AIR TANK


### HAVA TANKI



OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
20904407	15 bar	25	246 mm	588 / 301 mm	10,3 kg	M22x1,5	

**VOLVO**
**W88111**
**AIR TANK**
**HAVA TANKI**


OEM / COMPARISON NO	BAROMETRE	LITER LITRE	Ø	↔ L1 / L2	WEIGHT	THREADS	TYPE / TİP
20946636	10 bar	35	255 mm	759 / 175 mm	14 kg	M22x1,5 M16x1,5 1/4"NPT	  

**VOLVO**
**W88120**
**AIR TANK**
**HAVA TANKI**





OEM / COMPARISON NO	BAROMETRE	LITER LITRE	Ø	↔ L1 / L2	WEIGHT	THREADS	TYPE / TİP
20579604	15 bar	25	276 mm	490 / 121 mm	10 kg	M22x1,5	  
20948176							

## VOLVO

**W88126**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
20485246	15 bar	30	276 mm	575 / 121 mm	11,4 kg	M22x1,5	(● ●) (●) (●)
20579606							

## VOLVO

**W88136**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
20904411M	15 bar	40	276 mm	740 / 208 mm	14,4 kg	M22x1,5	(● ●) (●) (●)

## VOLVO

**W88139**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
11117328	15,5 bar	40	276 mm	760 / 385 mm	14,5 kg	M22x1,5	(•) (L •) (•)

## VOLVO

**W88144**

### AIR TANK

### HAVA TANKI




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
020984637	15 bar	50	276 mm	931 / 110 mm	14,3 kg	M22x1,5	(•) (L •) (•)

**VOLVO**

**W88180**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
21187795	15 bar	39	396 mm	417 / 208 mm	15,1 kg	M22x1,5	(●) (●) (●) (●)

**VOLVO**

**W88181**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
1628927	15 bar	50	396 mm	495 / 254 mm	17,5	M22x1,5	(●) (●) (●) (●)
20392308							
20485247							
20579608							

## WABCO

**W88003**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9510050100	15,5 bar	1	102 mm	170 / 115 mm	1,3 kg	M22x1,5	(●) (●) (●)

## WABCO

**W88010**

### AIR TANK

### HAVA TANKI




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9500200080	12,5 bar	4	154 mm	273 / 143 mm	2,5 kg	M22x1,5	(●) (●) (●)


## WABCO

**W 88012**

AIR TANK

HAVA TANKI




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L → L	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
4510054800	15,5 bar	5	154 mm	332 mm	4,3 kg	M22x1,5	  
9502050010							


## WABCO

**W 88013**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L → L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9501050010	20 bar	5	154 mm	341 / 171 mm	6,5 kg	M22x1,5	  

## WABCO

**W88018**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9501100020	20 bar	10	154 mm	615 / 308 mm	6,5 kg	M22x1,5	

## WABCO

**W88024**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9501100020	15,5 bar	6	206 mm	241 / 125 mm	4,2 kg	M22x1,5	

## WABCO

**W88032**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9504109020	15,5 bar	10	206 mm	355 / 182 mm	5,7 kg	M22x1,5	

## WABCO

**W88057**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9504300010	15,5 bar	30	206 mm	992 / 501 mm	13,8 kg	M22x1,5	

## WABCO

**W88068**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9505160030	14 bar	16	246 mm	410 / 210 mm	7,2 kg	M22x1,5	(●) ( ) (●) ( ) (●)

## WABCO

**W88069**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9505200030	15,5 bar	20	246 mm	500 / 255 mm	8,9 kg	M22x1,5	(●) ( ) (●) ( ) (●)

## WABCO

**W 88074**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / BAR	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / KG	SCREW / İŞLEM	TYPE / TİP
9505200020	15,5 bar	20	246 mm	506 / 258 mm	9,1 kg	M22x1,5	

## WABCO

**W 88089**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / BAR	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / KG	SCREW / İŞLEM	TYPE / TİP
9505270040	14,5 bar	27	246 mm	645 / 464 mm	11,1 kg	M22x1,5	

## WABCO

**W88090**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
9505300020	15,5 bar	30	246 mm	709 / 359 mm	12 kg	M22x1,5	(S) (C) (B) (D)

## WABCO

**W88099**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
4510373010	15,5 bar	37	246 mm	862 / 436 mm	14,3 kg	M22x1,5	(S) (C) (B) (D)
9505370010							

## WABCO

**W 88100**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / STRES	LITER / LİTRE	DIA / Ø	LEN / L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
4510403010	8,5 bar	40	246 mm	915 / 462 mm	15,2 kg	M22x1,5	

## WABCO

**W 88104**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / STRES	LITER / LİTRE	DIA / Ø	LEN / L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9505600020	15,5 bar	60	246 mm	1365 / 687 mm	21,9 kg	M22x1,5	

## WABCO

**W88125**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	BAROMETER	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
9507300050	14,5 bar	30	276 mm	568 / 388 mm	11,3 kg	M22x1,5	

## WABCO

**W88138**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	BAROMETER	LITER LITRE	Ø	L1 / L2	WEIGHT	SCREW	TYPE / TİP
4510403110	12,5 bar	40	276 mm	745 / 377 mm	13,8 kg	M22x1,5	

## WABCO

**W 88139**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
9507400020	12,5 bar	40	276 mm	760 / 385 mm	14,5 kg	M22x1,5	(S) (T) (B) (S)

## WABCO

**W 88148**

AIR TANK

HAVA TANKI






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
4510853010	12,5 bar	85	276 mm	1502 / 756 mm	27 kg	M22x1,5	(S) (T) (B) (S)

## WABCO

**W88159**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9508450010	12,5 bar	45	300 mm	740 / 370 mm	15,3 kg	M22x1,5	

## WABCO

**W88160**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9500600090	12,5 bar	60	300 mm	950 / 475 mm	19,2 kg	M22x1,5	

## WABCO

**W88173**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / STRES	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9500600030	12,5 bar	60	310 mm	895 / 452 mm	16,8 kg	M22x1,5	(Spare Part)

## WABCO

**W88182**

### AIR TANK

### HAVA TANKI






OEM / COMPARISON NO	PRESSURE / STRES	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
9500600040	10 bar	60	396 mm	580 / 295 mm	20,1 kg	M22x1,5	(Spare Part)

**W88085**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
275001000025366	15,5 bar	25	246 mm	610 / 310 mm	10,6 kg	M22x1,5	

**W88191**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
	12,5 bar	60	300 mm	910 / 455 mm	19,2 kg	M22x1,5	

**W88192**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE LITER LITRE	DIA Ø	↔ L1 / L2	WEIGHT KG	SCREW MATERIAL	TYPE / TİP
	12,5 bar	60	300 mm	912 / 456 mm	19,9 kg	M22x1,5




**W88193**

**AIR TANK**




**HAVA TANKI**



OEM / COMPARISON NO	PRESSURE LITER LITRE	DIA Ø	↔ L1 / L2	WEIGHT KG	SCREW MATERIAL	TYPE / TİP
	12,5 bar	60	300 mm	910 / 455 mm	19,7 kg	M22x1,5

**W88194**
**AIR TANK**
**HAVA TANKI**


OEM / COMPARISON NO		LITER LITRE	$\emptyset$	$\leftrightarrow$ L1 / L2			TYPE / TİP
	12,5 bar	60	300 mm	912 / 456 mm	19 kg	M22x1,5	




**W88195**
**AIR TANK**
**HAVA TANKI**


OEM / COMPARISON NO		LITER LITRE	$\emptyset$	$\leftrightarrow$ L1 / L2			TYPE / TİP
	12,5 bar	20	206 mm	709 / 355 mm	11 kg	M22x1,5	

**W88196**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖️	coil icon	TYPE / TİP
	12,5 bar	37	246 mm	852 / 431 mm	14,3 kg	M22x1,5	(●) (●) (●) (●) (●)

**W88197**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖️	coil icon	TYPE / TİP
	12,5 bar	40	310 mm	620 / 315 mm	13,8 kg	M22x1,5	(●) (●) (●) (●) (●)

**W88198**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖️	coil	TYPE / TİP
	12,5 bar	80	310 mm	1162 / 586 mm	24 kg	M22x1,5	(B) (C) (D)

**W88199**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖️	coil	TYPE / TİP
	12,5 bar	50	310 mm	742 / 376mm	16,1 kg	M22x1,5	(B) (C) (D)

**W88200**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
	12,5 bar	5	206 mm	215 / 112 mm	3,9 kg	M22x1,5	(●) (●) (●) (●)

**W88201**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE BAR	LITER LITRE	DIA Ø	L1 / L2	WEIGHT KG	SCREW TYPE	TYPE / TİP
	12,5 bar	60	246 mm	1352 / 681 mm	23 kg	M22x1,5	(●) (●) (●) (●)

**W88202**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
	12,5 bar	60	300 mm	912 / 456 mm	20 kg	M22x1,5	

**W88203**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
	12,5 bar	50	300 mm	757 / 379 mm	16,5 kg	M22x1,5	

**W88204**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / İNCİSİYON	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
	12,5 bar	50	300 mm	757 / 379 mm	16,5 kg	M22x1,5	

**W88205**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE / İNCİSİYON	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
X1035	15,5 bar	43,5	255 mm	927 / 468 mm	16,1 kg	M22x1,5	

W **88206**

**AIR TANK**

HAVA TANKI




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LITRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
	12,5 bar	38	246 mm	839 / 420 mm	15 kg	M22x1,5	

W **88207**

**AIR TANK**

HAVA TANKI




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LITRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
	10 bar	120	396 mm	1067 / 538 mm	34,3 kg	M22x1,5	

**W 88208**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖️	coil icon	TYPE / TİP
	10 bar	25	246 mm	699 / 572 mm	11,5 kg	3/8" - 3/4" - 1/4" NPT	

**W 88209**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖️	coil icon	TYPE / TİP
	10 bar	47	300 mm	749 / 686 mm	13,5 kg	3/8" - 3/4" - 1/4" NPT	

**W 88210**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖️	coil icon	TYPE / TİP
	16 bar	39	310 mm	600 / 305 mm	13,3 kg	M22x1,5	(top view) [two brackets] - (side view) [cylinder with two holes] - (bottom view) [two circles]

**W 88211**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	⌚	LITER LITRE	∅	↔ L1 / L2	⚖️	coil icon	TYPE / TİP
	12,5 bar	60	300 mm	888 / 444 mm	18,8 kg	M22x1,5	(top view) [two brackets] - (side view) [cylinder with two holes] - (bottom view) [two circles]

**W 88212**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	WIDTH / L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
	12,5 bar	80	380 mm	794 / 402 mm	21 kg	M22x1,5	(Screwed)

**W 88213**

**AIR TANK**

**HAVA TANKI**




OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	DIA / Ø	WIDTH / L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
	12,5 bar	60	380 mm	614 / 312 mm	16,8 kg	M22x1,5	(Screwed)

W 88214

## AIR TANK

HAVA TANKI




OEM / COMPARISON NO	⌚	LITER LITRE	Ø	↔ L1 / L2	⚖️	coil icon	TYPE / TİP
	12,5 bar	60	320 mm	823 / 416 mm	18,1 kg	M22x1,5	● ● ● ●

W 88215

## AIR TANK

HAVA TANKI






OEM / COMPARISON NO	⌚	LITER LITRE	Ø	↔ L1 / L2	⚖️	coil icon	TYPE / TİP
	12,5 bar	30	255 mm	650 / 330 mm	12,1 kg	M22x1,5	● ● ● ●

**W88216**

**AIR TANK**

**HAVA TANKI**






OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
	12,5 bar	80	310 mm	1179 / 590 mm	24,7 kg	M22x1,5	

**W88223**

**AIR TANK**

**HAVA TANKI**



OEM / COMPARISON NO	PRESSURE / DURUM	LITER / LİTRE	Ø	L1 / L2	WEIGHT / AĞIRLIK	SCREW / İŞLEM	TYPE / TİP
X1107	12,5 bar	60	380 mm	610 / 310 mm	18,8 kg	M22x1,5	

## Süspansiyon Körükleri / Air Springs



Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Araç Bilgisi <i>Applications</i>	Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Araç Bilgisi <i>Applications</i>
<b>1C 21-170 P02</b>	SINGLE BELLOWS	BMC / MERCEDES 8x2 FS 200-16 P01	<b>RML 7921 C</b>	COMPLETE AIR SPRING	SAF - HENDRICKSON - ROR 810 MB
<b>1C 21-170 P03</b>	SINGLE BELLOWS	MERITOR - ROR (2122 1356) GART T291 - B 291.1.170	<b>RML 7924 C</b>	COMPLETE AIR SPRING	SAF - ROR - HENDRICKSON 813 MB
<b>1C 21-170 S</b>	SINGLE BELLOWS	MERITOR - ROR GART T291 - B	<b>RML 7992 C</b>	COMPLETE AIR SPRING	881 MB DORSE / TRAILER
<b>1C 315-120 P01</b>	SINGLE BELLOWS	KOEGEL FS 330-11 1/4" - M8	<b>RML 73836 C</b>	COMPLETE AIR SPRING	SAF - TIRSAN 2725 N P01 KOMPLE
<b>1C 315-120 P02</b>	SINGLE BELLOWS	KOEGEL FS 330-11 1/4" - M8	<b>RML 75051 C</b>	COMPLETE AIR SPRING	4940 N P02 DORSE / TRAILER
<b>2C 150-140 P01</b>	TWO BELLOWS	DUNLOP SP 1482 WEWELEER USN5100 12D	<b>RML 75052 C</b>	COMPLETE AIR SPRING	4941 N P02 DORSE / TRAILER
<b>2C 211-220 P01</b>	TWO BELLOWS	WEWELEER - SCHMITZ MERC. - FD 200-22 1/4" M10	<b>RML 75115 C</b>	COMPLETE AIR SPRING	SAF 4004 N P03
<b>2C 21-210 P01</b>	TWO BELLOWS	ROR - WEWELEER - MERITOR FD 200-19 1/4" - M10	<b>RML 75115 CP</b>	COMPLETE AIR SPRING	SAF 4004 N P03
<b>2C 21-210 P02</b>	TWO BELLOWS	ROR - WEWELEER - MERITOR FD 200-19 1/4" - M10	<b>RML 75119 C</b>	COMPLETE AIR SPRING	SAF - SAMRO - WEWELEER - MERITOR 4008 N P01
<b>2C 21-210 P14</b>	TWO BELLOWS	HENDRICKSON - DISCOS FD 200-19 P02	<b>RML 75133 C3</b>	COMPLETE AIR SPRING	SAF - MERITOR 4022 N P03
<b>2C 21-210 P22</b>	TWO BELLOWS	SAF - SCANIA FD 200-19 P04	<b>RML 75134 C</b>	COMPLETE AIR SPRING	SAF 4023 N P03
<b>2C 301-180 P01</b>	TWO BELLOWS	TIRSAN 11138105003 2C 301-330 P01	<b>RML 75921 C5</b>	COMPLETE AIR SPRING	SAF 4810 N P05
<b>2C 315-225 P01</b>	TWO BELLOWS	FORD	<b>RML 75992 C</b>	COMPLETE AIR SPRING	4881 N P02 DORSE / TRAILER
<b>2C 315-225 P03</b>	TWO BELLOWS	MAN - HENDRICKSON FD 330-22 1/1" M8			
<b>2C 315-225 P04</b>	TWO BELLOWS	FD 330-22 M12 x 1.5 M8			
<b>2C 350-215 P02</b>	TWO BELLOWS	DAF FD 530-22 1/1" - M8			
<b>3C 300-250 P01</b>	THREE BELLOWS	MERCEDES - BMC 57RS306424			
<b>3C 302-200 P01</b>	THREE BELLOWS	GIGANT - DUNLOP F SP 1542 NB (12" x 3 NB)			
<b>3C 302-200 P03</b>	THREE BELLOWS	FRUEHAUF - DUNLOP F SP 2666 NB (12" x 3 NB)			

## Kabin ve Koltuk Körükleri / Cabin & Seat Air Springs



Ürün No Product No	Referans No Alt. Ref. No	Bilgi Information	Araç Bilgisi Applications
<b>W 730 11001</b>	SACHS 105 845 - 105 876	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA 3 SERİSİ ( ÖN - ARKA )
<b>W 730 11002</b>	MONROE CB0010	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA 3 SERİSİ ( ÖN - ARKA )
<b>W 730 11003</b>	MONROE CB0009	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA 4 SERİSİ ( ARKA )
<b>W 730 11004</b>	SACHS 105 855	<b>AMORTİSÖRLÜ / DAMPERED</b>	MAN F2000 ( ÖN )
<b>W 730 11005</b>	SACHS 105 856	<b>AMORTİSÖRLÜ / DAMPERED</b>	MAN F2000 ( ARKA )
<b>W 730 11006</b>	SACHS 105 392	<b>AMORTİSÖRLÜ / DAMPERED</b>	MERCEDES ACTROS ( ÖN )
<b>W 730 11007</b>	SACHS 290 997	<b>AMORTİSÖRLÜ / DAMPERED</b>	MERCEDES ACTROS ( ARKA )
<b>W 730 11008</b>	SACHS 310 619	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA 4 SERİSİ ( ÖN )
<b>W 730 11009</b>	SACHS 290 989	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA 4 SERİSİ ( ARKA )
<b>W 730 11010</b>	SACHS 311 663	<b>AMORTİSÖRLÜ / DAMPERED</b>	MERCEDES ( ÖN )
<b>W 730 11011</b>	SACHS 290 998 - 105 414	<b>AMORTİSÖRLÜ / DAMPERED</b>	MERCEDES ( ÖN )
<b>W 730 11012</b>	MONROE 7172 62 778	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA R SERİSİ ( ÖN - ARKA )
<b>W 730 11013</b>	MONROE CB0078	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA R SERİSİ ( ARKA )
<b>W 730 11017</b>	SACHS 290 989	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA R SERİSİ ( ARKA )
<b>W 730 11018</b>	SACHS 310 820	<b>AMORTİSÖRLÜ / DAMPERED</b>	IVECO STRALIS ( ÖN )
<b>W 730 11019</b>	SACHS 731700000277	<b>AMORTİSÖRLÜ / DAMPERED</b>	IVECO STRALIS ( ARKA )
<b>W 730 11022</b>	SACHS 135 198	<b>AMORTİSÖRLÜ / DAMPERED</b>	MAN / TGA ( ARKA - SAĞ )
<b>W 730 11023</b>	SACHS 135 197	<b>AMORTİSÖRLÜ / DAMPERED</b>	MAN / TGA ( ARKA )
<b>W 730 11024</b>	SACHS 135 196	<b>AMORTİSÖRLÜ / DAMPERED</b>	MAN / TGA ( ÖN )
<b>W 730 11025</b>	SZ 36 - 10	<b>AMORTİSÖRLÜ / DAMPERED</b>	RENAULT PREMIUM ( ARKA )
<b>W 730 11026</b>	MERITOR 908322986	<b>AMORTİSÖRLÜ / DAMPERED</b>	IVECO STRALIS ( ARKA )
<b>W 730 11027</b>	MONROE CB0003	<b>AMORTİSÖRLÜ / DAMPERED</b>	VOLVO FH12 - FH16 ( ÖN )
<b>W 730 11028</b>		<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA R SERİSİ ( ARKA )
<b>W 730 11029</b>	MERITOR 908323140	<b>AMORTİSÖRLÜ / DAMPERED</b>	IVECO STRALIS ( ARKA )
<b>W 730 11030</b>	MERITOR 908322985	<b>AMORTİSÖRLÜ / DAMPERED</b>	IVECO STRALIS ( ÖN )
<b>W 730 11031</b>	SACHS 310 821	<b>AMORTİSÖRLÜ / DAMPERED</b>	IVECO STRALIS ( ARKA )
<b>W 730 11032</b>	MONROE CB0006	<b>AMORTİSÖRLÜ / DAMPERED</b>	VOLVO FH12 - FH16 ( ARKA )
<b>W 730 11033</b>	SACHS 115 743	<b>AMORTİSÖRLÜ / DAMPERED</b>	IVECO EUROTECH-EUROSTAR T.2 ( ARKA )
<b>W 730 11034</b>	SACHS 115 731	<b>AMORTİSÖRLÜ / DAMPERED</b>	IVECO EUROTECH-EUROSTAR T.L ( ARKA )
<b>W 730 11035</b>	MONROE CB0002	<b>AMORTİSÖRLÜ / DAMPERED</b>	VOLVO FH12 - FH16 ( ARKA )

## Kabin ve Koltuk Körükleri / Cabin & Seat Air Springs




Ürün No Product No	Referans No Alt. Ref. No	Bilgi Information	Araç Bilgisi Applications
<b>W 730 11039</b>	SACHS 312 465 / 290 987	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA R SERİSİ ( ÖN )
<b>W 730 11040</b>	SACHS 310 619 / 20	<b>AMORTİSÖRLÜ / DAMPERED</b>	SCANIA R SERİSİ ( ARKA )
<b>W 730 11041</b>	SACHS 7317 0000 1830	<b>AMORTİSÖRLÜ / DAMPERED</b>	MERCEDES ( A 942 890 6119 )
<b>W 730 11042</b>	SACHS 7271 0000 3575	<b>AMORTİSÖRLÜ / DAMPERED</b>	MERCEDES ( A 942 890 4919 )
<b>W 730 11043</b>	SACHS 7817 0000 1622	<b>AMORTİSÖRLÜ / DAMPERED</b>	RENAULT PREMIUM ( ARKA )
<b>W 730 11044</b>	SACHS 7482 052 893	<b>AMORTİSÖRLÜ / DAMPERED</b>	RENAULT PREMIUM-MAGNUM-KREX
<b>W 730 11045</b>	MONROE CB0070	<b>AMORTİSÖRLÜ / DAMPERED</b>	RENAULT MAGNUM/E-TECH ( ARKA )
<b>W 730 11046</b>	MONROE CB0039 / 55	<b>AMORTİSÖRLÜ / DAMPERED</b>	VOLVO FH12 - FH16 ( ÖN )
<b>W 730 11047</b>	SACHS 135 199 / 200	<b>AMORTİSÖRLÜ / DAMPERED</b>	MAN / TGA ( ARKA )
<b>W 730 11048</b>	MONROE 1622211 - 05	<b>AMORTİSÖRLÜ / DAMPERED</b>	DAF 95 XF ( ÖN )
<b>W 730 11049</b>	MONROE 1792423 - 1	<b>AMORTİSÖRLÜ / DAMPERED</b>	DAF 95 XF ( ARKA )
<b>W 730 11050</b>	SACHS 73 1700 002 549	<b>AMORTİSÖRLÜ / DAMPERED</b>	MERCEDES ( A 942 890 6919 )
<b>W 730 11056</b>	SACHS 73 1700 002 547	<b>AMORTİSÖRLÜ / DAMPERED</b>	MERCEDES ( A 942 890 7019 )

## Koltuk Körükleri / Sat Air Springs

Ürün No Product No	Referans No Alt. Ref. No	Bilgi Information	Araç Bilgisi Applications
<b>W 730 21006</b>	SZ 51 - 5	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	C.O.B.O
<b>W 730 21007</b>	SZ 51 - 10	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	MÖVE
<b>W 730 21008</b>	SZ 51 - 4	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	KLEPP
<b>W 730 21010</b>	SZ 51 - 7	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	PILOT
<b>W 730 21012</b>	W02 358 7206	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	FREIGHTLINER
<b>W 730 21013</b>	W02 358 7087	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	FREIGHTLINER
<b>W 730 21014</b>	W02 358 7046	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	FORD / GMC
<b>W 730 21015</b>	W02 358 7040	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	KNOEDLER / DURAFORM
<b>W 730 21020</b>	CF GOMMA 1GC 100 70	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	
<b>W 730 21026</b>	SZ 140 - 14	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	
<b>W 730 21027</b>	W02 358 7035 / SC29 - W035	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	SEARS / DURAFORM
<b>W 730 21028</b>	SZ 60 - 6 / 864 Z	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	ISRINGHAUSEN (31396)
<b>W 730 21039</b>	CP 291 9584 400 / SZ59 - 8 LS	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	SCANIA
<b>W 730 21040</b>	CP 395 6473 735 / SZ59 - 8 RS	<b>KOLTUK KÖRÜKLERİ / SEAT BOOTS</b>	SCANIA

Wis No	<b>W1310130</b>	
ORJ. REF. NR.	1387439 - 1640561 - 1726138 - 1812582 - 1812563 1783346 - K0044322 - II39112F - II39541F - C34533F	
MODEL	1387439 / 1640561 / 1812563 / 1726138 / 1783346	
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR	 <b>25,5</b>

## DAF



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	$\varnothing$
427	45	45	258	-	-	-

## DAF MOUNTING KIT DAF MONTAJ KİTİ




Wis No	<b>W1330010</b>	
ORJ. REF. NR.	1693978-1691889	
MODEL	CF85 / XF95	
POZİSYON POSITION		 <b>0,95</b>



Wis No	<b>W1320420</b>	<b>DAF</b>
ORJ. REF. NR.	754397-365579	
MODEL	XF 95 - XF 105 - 85 CF - 75 CF - 65 CF	
POZİSYON POSITION	ARKA REAR	68


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	212	284	285	335	10 / 2 / 2	24 / 30 · 14 F / M12x1,75



## KAMPANA/DRUM

**DAF**


Wis No	<b>W1320450</b>
ORJ. REF. NR.	365579 - 1523681 - MBD1023
MODEL	65 CF - 75 CF - 85 CF - 95 XF - F 2100 - F 2300 - F 2500 - F 2700 - F 2800 F 2900 - F 3200 F 3300 - F 3600 - F 65 - F 75 - F 85 - F 95 - SB 210 - SB 2100 - SB 220 - SB 250 - SB 2750 - SB 3000 - SB 4000 - TB 2100 - TB 2175
POZİSYON POSITION	ARKA REAR



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	213	287.5	285	335	10 / 2 / 2	24 / 30 · 14 F / M14x1,5

Wis No	<b>W 1810360</b>
ORJ. REF. NR.	<b>DC462A315AA</b>
MODEL	FORD CARGO 18.46 - ABS Lİ / WITH ABS
POZİSYON POSITION	 <b>ÖN</b> FRONT  <b>33</b>

**FORD**



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
434	45	130	203	237	10	M16x2


**FORD**

**DİSK/DISC**



Wis No	<b>W 1812980</b>
ORJ. REF. NR.	<b>DC462A315AA</b>
MODEL	FORD CARGO 18.46
POZİSYON POSITION	 <b>ÖN</b> FRONT  <b>32,5</b>

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
434	45	130	203	237	10	M16x2




# FORD



Wis No	W1320500	
ORJ. REF. NR.	638167 - 904549 - 595225	
MODEL	F SERİSİ / F SERIES / 95 FA / 95 FAC	
POZİSYON POSITION	ÖN FRONT	kg 44,5



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	169	230	285	335	10 / 4 / 2	24 / 30 - 14 F / M12x1,75



# KAMPANA/DRUM

# FORD


Wis No	W1820660	
ORJ. REF. NR.	9C461125AB	
MODEL	1838 CARGO YENİ MODEL / 1838 CARGO NEW MODEL	
POZİSYON POSITION	ÖN FRONT	kg 64



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	213	275	281	335	10 / 2	25 / M20x2,5

Wis No	<b>W1820750</b>
ORJ. REF. NR.	<b>85DB1125AB - 6135911</b>
MODEL	FORD CARGO 3227 INTERCOL
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR

## FORD



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
394	224	275	181	335	10 / 4 / 2	23 / 30 - 14 F / M16x2


## FORD

## KAMPANA/DRUM



Wis No	<b>W1825400</b>
ORJ. REF. NR.	
MODEL	FORD CARGO 4136 - 3936 - 3536
POZİSYON POSITION	 <b>82,5</b>

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
410	259	304	281	335	10 / 2 / 2	23 / 18 / M20x2,5




**ISUZU**



Wis No	<b>W2610300</b>
ORJ. REF. NR.	377777391051
MODEL	ISUZU CITYBUS
POZİSYON POSITION	 ÖN FRONT


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
332	34	102.5	91.6	122	10 / 2	14.5 / M10 x 1.5



**DİSK/DISC**

**ISUZU**

Wis No	<b>W2610310</b>
ORJ. REF. NR.	13C3508390BA
MODEL	NQR 70 ABS Lİ - WITH ABS
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
330	34	119	150	175	12	M12x1,75

# ISUZU

WIS No

**W2611080**

ORJ. REF. NR.

8982488950

MODEL



NQR 70 - NPR 75 - NOVO - EURO - 6NQR 500 - NKR 85

POZİSYON  
POSITION



ÖN  
FRONT

**kg** 12



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
310	42	55,5	110	136	12	12

# ISUZU

DİSK/DISC



WIS No

**W2611090**

ORJ. REF. NR.

8981919560

MODEL

NQR 70-NPR 75-NOVO-EURO6-NQR 500-NKR 85-NKR 77



POZİSYON  
POSITION



ARIKA  
REAR

**kg** 15

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
310	42	107	164	204	6	M 14 x 2




111



Wis No	<b>W2621090</b>
ORJ. REF. NR.	89708012181 - 89708012101 - 897081218154
MODEL	NPR 66 ŞAMPİYON / NPR 66 CHAMPION
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR   23 kg


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A 319	B 118	H 157	C 156	I 222 / 175	N 6 / 3	Ø 24 / M6x1



## DİSK/DISC

**IVECO**


Wis No	<b>W2710200</b>
ORJ. REF. NR.	2996328 - 29963285 - 002995812 - 7189476 - 7185503 - 2992477 - 2992477S - 2996327 - 7189475 - 1962300
MODEL	STRALIS AD190 / S 30 AT 440 / S56 - ABS Lİ / WITH ABS
POZİSYON POSITION	 ARKA REAR   34,5 kg



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A 432	B 45	H 155	C 210	I 240	N 12	Ø M16x2

# IVECO

Wis No	<b>W 2710740</b>
ORJ. REF. NR.	1908729 - 19087631 - 19088614 - 7173317 7180111 - 2991979 - II39098F - MBR2711 - 71801111
MODEL	EUROSTAR - EURO CARGO - EUROTECH
POZİSYON POSITION	 ÖN FRONT



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	50	102	170	195	10	M16x2


# IVECO

DİSK/DISC



Wis No	<b>W 7210760</b>
ORJ. REF. NR.	1906461 - 1906438 - 7182305 - 7179778 - 7192305 2996329 - 2992470 - II37654 - 71823055 - 7179778 503142233 - 5001860184 - 3218F1514 - 7184136
MODEL	STRALIS AD190 / S 30 AT 440 / S56
POZİSYON POSITION	 ÖN FRONT

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
436	45	138,5	210	240	12	M16x2




**IVECO**



Wis No	<b>W 2721230</b>
ORJ. REF. NR.	<b>7172329</b>
MODEL	EUROTRAKKER - 340 E - 380 E - 410 E
POZİSYON POSITION	<b>ÖN</b> FRONT


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	190	250	285	335	10 / 2 / 2	23 / 30 - 11 F / M12x1,75



**KAMPANA/DRUM**

**IVECO**


Wis No	<b>W 1721240</b>
ORJ. REF. NR.	<b>42118426 - 42102879</b>
MODEL	EUROTRAKKER
POZİSYON POSITION	<b>ÖN/ARKA</b> FRONT/REAR



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	198	273	285	335	10 / 2 / 2	23 / 22 - 11 H / M12x1,75

# IVECO

Wis No	<b>W2721250</b>
ORJ. REF. NR.	42118427 - 42102583
MODEL	MP 400-E34-42/410 37-42 380-720 EUROTRAKKER
POZİSYON POSITION	 ARKA REAR  <b>59</b>



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	212	282,5	285	335	10 / 2 / 2	23 / 22 - 11 H / M12x1,75




# IVECO

KAMPANA/DRUM



Wis No	<b>W2721260</b>
ORJ. REF. NR.	7172079
MODEL	EUROSTAR - EUROTECH
POZİSYON POSITION	 ARKA REAR  <b>57</b>


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	208	257,5	285	335	10 / 2 / 2	23 / 27,5 - 12 / M12x1,75





Wis No	<b>W2721270</b>	<b>IVECO</b>
ORJ. REF. NR.	7160113 - 7165564 - 7910226 - 4715419 - 790111	
MODEL	8512 - 7512 - M29	
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR	 <b>19,5</b>


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A 325	B 123	H 258	C 255	I 280	N 6 / 4	Ø 13,5 / M12x1,5



## KAMPANA/DRUM

**IVECO**


Wis No	<b>W2721310</b>
ORJ. REF. NR.	7167613 - 7173107 - 7910340
MODEL	150E15 - 18 - 23 - 27 - 200 E 23-320 E 27 EURO CARGO
POZİSYON POSITION	 ARKA REAR



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A 360	B 179	H 250,5	C 228	I 275	N 10 / 2 / 2	Ø 23,5 / 30 - 11 F / M10 x1,5

# IVECO

Wis No	<b>W 2721360</b>
ORJ. REF. NR.	7183050
MODEL	EUROTRAKKER CURSOR 140.64
POZİSYON POSITION	 ARKA REAR <b>kg 64</b>



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
410	218	289,5	285	335	10 / 2 / 2	23 / 28 - 11 F / M12x1,75


# IVECO


KAMPANA/DRUM



Wis No	<b>W 2721400</b>
ORJ. REF. NR.	7183048
MODEL	240E26 / 140.64.039
POZİSYON POSITION	 ARKA REAR <b>kg 62,5</b>


BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
410	192	257	285	335	10 / 2 / 2	23 / 30 - 11 F / M12x1,75





Wis No	<b>W 2725500</b>	<b>IVECO</b>
ORJ. REF. NR.	<b>7183048</b>	
MODEL	240E26 / 140.64.039 HAFİF SERİ / LIGHT SERIES	
POZİSYON POSITION	ARKA REAR	<b>59,5</b>



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	192	257	285	335	10 / 2 / 2	23 / 30 - 11 F / M12x1,75



## KAMPANA/DRUM

**IVECO**



Wis No	<b>W2725510</b>
ORJ. REF. NR.	<b>7172079</b>
MODEL	EUROSTAR - EUROTECH / HAFİF SERİ - LIGHT SERIES
POZİSYON POSITION	ARKA REAR <b>55</b>



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	208	257,5	285	335	10 / 2 / 2	23 / 27,5 - 12 / M12 x 1,75

## KASSBOHRER-SETRA

Wis No	<b>W3210290</b>
ORJ. REF. NR.	<b>8285472000 - 082135830 - 0501315228 - 1415146 1415147 - 501316953 - 234110 - 4511350</b>
MODEL	CITYLINER / EUROLINER / JETLINER / BOVA / ZF AKSLAR İÇİN / FOR ZF AXLE
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR  <b>29.5</b>



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	131	202	235	10	M16x1.5


## KASSBOHRER-SETRA

KAMPANA/DRUM



Wis No	<b>W3221690</b>
ORJ. REF. NR.	<b>015268511115 - 015268511115B</b>
MODEL	400 x 200 DKB 17 - D17/L3 - DHK 17
POZİSYON POSITION	 TREYLER TREILER  <b>51.5</b>

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
400	214.5	290	266	335	10 / 2	23 / M16x2




# KASSBOHRER-SETRA



Wis No	<b>W3221700</b>
ORJ. REF. NR.	<b>315252012201-315252012210-3152520011201</b>
MODEL	ÇİFT GÜVERTELİ OTOBÜS / DOUBLE DECK BUS
POZİSYON POSITION	 ARKA REAR

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A 410	B 231	H 291	C 290	I 335	N 10 / 2	Ø 23 / M16 x2



**MAN**

Wis No

**W3910110**

ORJ. REF. NR.

 81508030023 - 81508030031 - 81508030038  
 81508030040 - 81508030046 - 81508030033  
 81508030034 - 81508030035 - 81508030036



MODEL

TG-A - TG-S - TG-X S2000 - M 2000 - F2000 FORTUNA

 POZİSYON  
POSITION

 ÖN  
FRONT


kg 34,5



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
432	45	130	131	168	12 / 3	19 / M12x1,75

**MAN**

DİSK/DISC



Wis No

**W3910120**

ORJ. REF. NR.

 81508030021 - 81508030041 - 81508030047  
 81508060041 - MBR5068

MODEL



S2000 - M 2000 - F2000 - TG-A - TG-S-TG-X-FORTUNA

 POZİSYON  
POSITION

 ARKA  
REAR


kg 35

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
432	45	135	208	235	10	M16x1,5




**MAN**



Wis No	<b>W3910210</b>
ORJ. REF. NR.	81508030042 - 81508030053
MODEL	TGL 12.180 - L 2000
POZİSYON POSITION	 ÖN FRONT


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
335	34	93	90	122	10	15



**DİSK/DISC**

**MAN**

Wis No	<b>W3910220</b>
ORJ. REF. NR.	81508030043 - 81508030062 - 81508030063 81508030054 - 81324006005 - 81524030029
MODEL	TGL 12.180 - PRO 917
POZİSYON POSITION	 ARKA REAR




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
335	34	118	154	176	10 / 2	M14x1,5 / M8x1,25

**MAN**

DİSK/DISC

Wis No	<b>W3910230</b>	
ORJ. REF. NR.	81508030022 - 81508030061	
MODEL	12.163 - 10.223 SG - SL - SU - ABS Lİ / WITH ABS	
POZİSYON POSITION	 ARKA REAR	 <b>15,5</b>



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
330	34	124	157	180	12	M12x1,75


**MAN**

DİSK/DISC



Wis No	<b>W3910140</b>	
ORJ. REF. NR.	81508030024 - 81508030026	
MODEL	12.153 - 12.163 - 10.223 SG - SL - SU	
POZİSYON POSITION	 ÖN FRONT	 <b>16,5</b>

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
330	34	104	135	158	10	M14x1,5




DİSK/DISC

MAN



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
324	30	102	135	158	10	M14x1,5


Wis No	W 3911140
ORJ. REF. NR.	81508030010 - MBR5010 - 81508020010 81501100010
MODEL	L 2000 SERİ - L 2000 SERIES
POZİSYON POSITION	ÖN FRONT



DİSK/DISC

MAN

Wis No	W 3911210
ORJ. REF. NR.	81508030009 - 81508030014 - 81508030015 - 81508030001
MODEL	E - F - M - 2000 SERİSİ - E - F - M - 2000 SERIES
POZİSYON POSITION	ÖN FRONT



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
438	45	135	200	235	10	M16x1,5

# MAN

Wis No

**W3911220**

ORJ. REF. NR.

81508030043 - 81508030062 - 81508030063 -  
81508030054 - 81324006005 - 81524030029

MODEL

TGL 12.180 - PRO 917 - ABS Lİ / WITH ABS



POZİSYON  
POSITION



ARKA  
REAR



17



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
335	34	118	154	176	10 / 2	M14x1,5 / M8x1,5

# MAN

KAMPANA/DRUM



Wis No

**W3921930**

ORJ. REF. NR.

81501100231-81501100226-81501100223 81501100147  
81501100108-603100360-3054230601-3564210001  
5000284413-3054210401-3054210101-5000029110  
5000281119

MODEL

E 2000 19.310 - 19.360 - 19.410 19.460 - 26.310 -  
26.410 - 26.460 (SÜPER MAN / SUPER MAN )

POZİSYON  
POSITION




ÖN  
FRONT



40,2


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	168	213	298	335	10 / 2 / 2	23 / 22 - 13 / M12x1,5






BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	174	250	298	335	10 / 5 / 3	23 / 24 / M12x15

Wis No	<b>W3921940</b>
ORJ. REF. NR.	81501100213 - 81501100242 - 81501100001 - 81501100118
MODEL	N 759 - 18.220 - 26.372
POZİSYON POSITION	 ÖN FRONT



## KAMPANA/DRUM

Wis No	<b>W3921960</b>
ORJ. REF. NR.	81501100232 - 81501100227 - 81501100214 - 81501100239
MODEL	19.230 - 19.270 - 32.270 - 19.422 - 26.230 - 33.372 ( KÖRÜKLÜ OTOBÜS - BUS BELLows )
POZİSYON POSITION	 ÖN FRONT



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	188	232	298	335	10 / 2 / 3	23 / 22 - 13 / M12x1,5



**MAN**

Wis No

**W3921980**

ORJ. REF. NR.

 81501100144 - 81501100107 - 81501100104 -  
 81501103144 - 81501109144


MODEL

SÜPER MAN SL 200-232-SG 220-312 KÖRÜKLÜ

 POZİSYON  
POSITION

 ARKA  
REAR


55,5



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
410	232	300	298	335	10 / 5 / 3	23 / 24 / M12x1,5

**MAN**

KAMPANA/DRUM



Wis No

**W3922270**

ORJ. REF. NR.

 3464230101 - 3464230501 - 3554230601  
 5000281082 - 5000285473 - 81501100101 -  
 81501100134

MODEL


 22.190 / 26.281 / SL200 / E2000 / F2000 M2000  
 / TGA19.410 / 35.410 / 19.323 / 27.373

 POZİSYON  
POSITION

 ARKA  
REAR


51

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
410	192	280	298	335	10 / 5 / 3	23 / 24 / M12x1,5





BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	132,5	211	238	10	M14x1,5

Wis No

**W 4210010**

ORJ. REF. NR.

9424212112 - 9424211212 - 9424210912 - 9424211012  
9424211112 - 9424210312 - 9424210212 - 9424230012  
II34600 - II37638 - II3763800061 - 1134600  
080162600 - 9424210512

MODEL

AXOR-ACTROS-TRAVEGO-TOURISMO-INTOURO DEL  
ESKİ MODEL - OLD MODEL


POZİSYON  
POSITION



ÖN-ARKA  
FRONT/REAR

**kg**



**32,5**



Wis No	<b>W4210020</b>
ORJ. REF. NR.	9434210312
MODEL	AXOR / ACTROS TRAVEGO / TOURISMO / INTOURO / YENİ MODEL - NEW MODEL
POZİSYON POSITION	ÖN FRONT

**kg**

**32.5**



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	144	131	168	10 / 2	21 / M12x1,5

# MERCEDES

Wis No

**W4210030**

ORJ. REF. NR.

9604210312 - 9604210412 - 9604210512 -  
A9604210312 - A9604210412 - A9604210512

MODEL

AROCS - ACTROS MP4



POZİSYON  
POSITION



ÖN  
FRONT



35



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	131,5	131	168	10 / 2	21 / M12x1,5

# MERCEDES

DİSK/DISC



Wis No

**W4210040**

ORJ. REF. NR.

9434210312

MODEL

AXOR / ACTROS TRAVEGO / TOURISMO / INTURO /  
YENİ MODEL - NEW MODEL - HAFİF SERİ - LIGHT SERIES

POZİSYON  
POSITION





ÖN  
FRONT



32

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	144	131	168	10 / 2	21 / M12x1,5




DİSK/DISC



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	$\varnothing$
438	45	135	195	235	10	M14x1,5


Wis No	<b>W4210150</b>
ORJ. REF. NR.	3564211012 - 3563210312 - 3564211212 - 3054210312
MODEL	0 403 / 0 404 / 0 350 TOURISMO
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR



DİSK/DISC

**MERCEDES**

Wis No	<b>W4210160</b>
ORJ. REF. NR.	9754210112 - 9754210012 - 9754210212 - 9754210512 - 9754219112 - 6754210112 - II30676
MODEL	1214 - 1528AF 14 BİJON - 14 WHEEL BOLT
POZİSYON POSITION	 ÖN FRONT




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	$\varnothing$
377	45	134	105,5	138	14	14,5

[www.wisgroup.com.tr](http://www.wisgroup.com.tr)

# MERCEDES

DISK/DISC

Wis No	W4210170	
ORJ. REF. NR.	9754210212 - 9754230612 - 9754230312 - 9754230012 - II30677	
MODEL	1214 - 1528AF - ATEGO 8 BİJON - 8 WHEEL BOLT	
POZİSYON POSITION	 ÖN FRONT	 kg 25



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
377	45	138,5	176	201	10	M14x1,5


# MERCEDES

DISK/DISC




Wis No	W4211250	
ORJ. REF. NR.	9704210112 - 9704210012 - 9704210212 - 9704210612 - II30418 - 9704210712	
MODEL	ATEGO - AKTROS - ANTOS	
POZİSYON POSITION	 ÖN FRONT	 kg 14,5

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
335	34	102,5	91,5	120	10	14,5




## KAMPANA/DRUM



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	192	248	298	335	10 / 3	23 / M12x1,5


Wis No	<b>W4222260</b>
ORJ. REF. NR.	6174230201 - A6174230201
MODEL	MK SERIES - NG SERIES - AXOR - AXOR 2 - 2521 - 2524
POZİSYON POSITION	 ARKA REAR



## KAMPANA/DRUM

**MERCEDES**

Wis No	<b>W4222270</b>
ORJ. REF. NR.	3464230101 - 3464230501 - 3554230601 5000281082 - 5000285473 - 81501100101 - 81501100134
MODEL	22.190 / 26.281 / SL200 / E2000 / F2000 M2000 / TGA19.410 / 35.410 / 19.323 / 27.373
POZİSYON POSITION	 ARKA REAR



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	192	280	298	335	10 / 5 / 3	23 / 24 / M12x1,5




[www.wisgroup.com.tr](http://www.wisgroup.com.tr)

# MERCEDES

KAMPANA/DRUM


Wis No	W4222310	
ORJ. REF. NR.	3054230401- 3054230301- 3054230701	
MODEL	AXOR - ACTROS - ACTROS MP2 / MP3 - ATEGO - POWERLINER - CONECTO - NEOPLAN CITYLINER	
POZİSYON POSITION	 ARKA REAR	 56,5




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
410	238	306	298	335	10 / 5 / 3	23 / 24 / M12x1,5


# MERCEDES

KAMPANA/DRUM




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
410	238	306	298	335	10 / 5 / 3	23 / 24 / M12x1,5
FLANS KALINLIĞI 50mm FLANGE THICKNESS 50mm						





Wis No	<b>W4222240</b>
ORJ. REF. NR.	<b>6584210001 - A6584210001 - MBD1124</b>
MODEL	AXOR/ACTROS 1831 / 1835 / 1840 71843 - ATEGO 1823 K/S / LS2628 B/K - AROCS 1830
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR  <b>53,5</b>


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	191	237	298	335	10 / 3	23 / M12x1,75



## DİSK/DISC

## **MERITOR-ROR**


Wis No	<b>W6311600</b>
ORJ. REF. NR.	<b>21224263 - 3218H1308 - MBR5079 - MBR9017</b>
MODEL	LM - TM SERİ - LM - TM SERIES
POZİSYON POSITION	 TREYLER TRAILER  <b>31</b>



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
378	45	150	225	275	8 / 2	24.5 / M12x1.75

# MERITOR

Wis No	<b>W6311610</b>	
ORJ. REF. NR.	68323825 - MBR9004 - MBR5124	
MODEL	LM - TA SERİ - LM - TA SERIES - ABS Lİ - WITH ABS	
POZİSYON POSITION	 TREYLER TRAILER	 <b>38</b>




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
330	210	267	180	225	10	23


# MERITOR-ROR



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
378	45	150	222	250	10	M16x2




Wis No	<b>W6311590</b>	
ORJ. REF. NR.	21225115 - 21227349 - 32108G1333 - 31788700100 - MBR5073 - MBR9018 - 2152515	
MODEL	LM - LMC - TM SERİ / LM - LMC - TM SERIES	
POZİSYON POSITION	 TRAILER TRAILER	 <b>29</b>






BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISı HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
310	40	53.8	114	140	6	M12x1,75

Wis No	<b>W4412090</b>
ORJ. REF. NR.	<b>MK584503Y</b>
MODEL	EURO 5
POZİSYON POSITION	<b>ÖN FRONT</b> <b>13</b>



**DİSK/DISC**



Wis No	<b>W4412100</b>
ORJ. REF. NR.	<b>MK584504Y</b>
MODEL	EURO 5
POZİSYON POSITION	<b>ARKA REAR</b> <b>14</b>




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISı HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
310	40	70	139	161	12	10

# MITSUBISHI

Wis No	<b>W4422750</b>
ORJ. REF. NR.	<b>MK321338</b>
MODEL	MITSUBISHI 659 - PRESTIJ 98 - 06
POZİSYON POSITION	 <span>ÖN/ARKA FRONT/REAR</span>  <span>20</span>




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
320	122	155	175	222	6 / 6	20.5 / M8x1.25



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A 430	B 45	H 131	C 202	I 235	N 10	$\varnothing$ M16x1,5

Wis No	<b>W4510290</b>
ORJ. REF. NR.	8285000589 - 082135830 - 0501315228 - 1415146 - 1415147 - 501316953 - 234110 - 4511350
MODEL	CITYLINER / EUROLINER / JETLINER / BOVA / ZF AKSLAR İÇİN / FOR ZF AXLE
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR  <b>29,5</b>



# OTOKAR

Wis No

**W4810290**

ORJ. REF. NR. 082135830 - 0501315228 - 1415146 - 1415147 -  
501316953 - 234110 - 4511350



MODEL CITYLINER / EUROLINER / JETLINER /  
BOVA / ZF AKSLAR İÇİN / FOR ZF AXLE

POZİSYON  
POSITION



ÖN/ARKA  
FRONT/REAR

**kg** 29,5



Ø-N	BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø	
430	45	131	202	235	10	M16x1,5	

# OTOKAR

DİSK/DISC



Wis No

**W4810300**

ORJ. REF. NR. 13C33-05572 - 13C33-05572AA

MODEL

OTOKAR SULTAN

POZİSYON  
POSITION





ÖN  
FRONT




**kg** 14,5

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
335	34	102,5	91,6	120	10	14,5






BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
330	34	119	150	175	12	M12x1,75



**DİSK / DISC**

**OTOKAR**


Wis No	W4811720
ORJ. REF. NR.	13C2505572BA - 13C25-05572-BA
MODEL	OTOKAR SULTAN
POZİSYON POSITION	ÖN/ARKA FRONT/REAR
	kg 15



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
330	34	80	95	118	10 / 2	15 / M12x1,75

# OTOKAR

Wis No	<b>W4822820</b>
ORJ. REF. NR.	13C0005109-AB
MODEL	SULTAN KISA / SULTAN SHORT
POZİSYON POSITION	<b>24,5</b>




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
324,5	128	192	170	205	6 / 3 / 3	18,7 / 27,5 - 10,5 H / M10x1,5

# RENAULT

DİSK/DISC

Wis No	<b>W5110100</b>
ORJ. REF. NR.	85103803 - 85110496 - 20515093 - 7421575117 - 21575071
MODEL	FH 12/FH16/FM -12/FL-ORJİNAL ÖLÇÜ-ORIGINAL SIZE
POZİSYON POSITION	<b>26,5</b>


BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
434	45	45	220	-	-	-






Wis No	<b>W5110101</b>
ORJ. REF. NR.	85103803 - 85110496 - 20515093 - 20515093 - 3218H1308 - 21224263
MODEL	FH 12 / FH16 / FM -12 / FL - SIKI GEÇME ( AŞINMIŞ POYRA İÇİN )
POZİSYON POSITION	ÖN/ARKA FRONT/REAR

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
434	45	45	220	-	-	-



**DİSK/DISC**


Wis No	<b>W5110350</b>
ORJ. REF. NR.	5010216437 - 5010422593 - 5010422363 - 5006172150
MODEL	V400 / 420 / MAGNUM / MAJOR MANAGER / PREMIUM
POZİSYON POSITION	ÖN FRONT



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
438	45	97	131	165	10 / 2	17 / M14x2

# RENAULT

Wis No	W5111720	
ORJ. REF. NR.	5010525308 - 5010422262 - 5010598303	
MODEL	MIDLUM ( 135.08/B > 280.18 ) / MIDLUM DXI ( EURO 3 - EURO 4 )	
POZİSYON POSITION	 ÖN FRONT	 <b>15</b>




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
330	34	80	95	118	10 / 2	15 / M12x1,75

# RENAULT



Wis No	W 5111780	
ORJ. REF. NR.	5010260218	
MODEL	MIDLUM	
POZİSYON POSITION	 ÖN FRONT	 <b>23</b>

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
380	45	85	117	144	10 / 2	15 / M14x2




**RENAULT**



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
377	45	166	222	275	8	22,5


Wis No	<b>W5111870</b>
ORJ. REF. NR.	5010525362 - 5010525015 - 1962321 - 7482421131
MODEL	MIDLUM
POZİSYON POSITION	ARKA REAR



**DİSK/DISC**

**RENAULT**


Wis No	<b>W5111880</b>	
ORJ. REF. NR.	5010525014 - MBR5119 - 7421867375	
MODEL	MIDLUM	
POZİSYON POSITION	ÖN FRONT	



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
375	45	99	117	144	10 / 2	15 / M14x2

# RENAULT


Wis No	W5111940		
ORJ. REF. NR.	5010598305 - 20931241 - 20700509		
MODEL	MIDLUM		
POZİSYON POSITION		ÖN FRONT	 24




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
375	45	119	111	145	10 / 2	15 / M14x2

# RENAULT

KAMPANA/DRUM



Wis No	W5122920		
ORJ. REF. NR.	5010525805		
MODEL	PREMIUM - KERAX EURO3 - 4 X 2		
POZİSYON POSITION		ARKA REAR	 58




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
414	232	278	280,8	335	10 / 2 / 2	26 / 22 - 13 F / M14x2





Wis No	<b>W5610140</b>
ORJ. REF. NR.	1402272 - 1386686 - 1367735 - 1852817 - 510673100 - K000510 - K000810 -13866867
MODEL	P-G-R-T SERİSİ / 4-5 SERİSİ IRIZAR OTOBÜS / IRIZAR BUS
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR  <b>29,5</b> <b>kg</b>

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A 430	B 45	H 131	C 208	I 237	N 10	<b>Ø</b> M16x1,5



**TEMSA**

Wis No	<b>W6110290</b>
ORJ. REF. NR.	082135830 - 0501315228 - 1415146 - 1415147 - 501316953 - 234110 - 4511350
MODEL	CITYLINER / EUROLINER / JETLINER / BOVA / ZF AKSLAR İÇİN / FOR ZF AXLE
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR  <b>29,5</b>



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	$\varnothing$
430	45	131	202	235	10	M16x1,5


KAMPANA/DRUM

**TOYOTA**



Wis No	W6625620
ORJ. REF. NR.	9410564
MODEL	COASTER
POZİSYON POSITION	15


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A 320	B 99,5	H 115,5	C 126	I 167	N 5	g M14x1,5



KAMPANA/DRUM

**TOYOTA**

Wis No	W6225630
ORJ. REF. NR.	
MODEL	COASTER
POZİSYON POSITION	15




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A 320	B 99	H 129	C 160	I 202	N 5	g 15

# FRUEHAUF

KAMPANA/DRUM

Wis No	<b>W6324750</b>
ORJ. REF. NR.	86960 - AJA0650001 - A25652 - M006867 - 7000102Y
MODEL	311 x 203 JUMBO
POZİSYON POSITION	 TREYLER TREILER

**SMB**



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
311	215	300	178	225	10 / 2	26,5 / 22,5 / 12,5 F

# FRUEHAUF

KAMPANA/DRUM



Wis No

**W6324800**

ORJ. REF. NR.

AJB0465002 - M003176 - 7000085S - 449628 - 1030341 - 16607500A

MODEL


419 x 203 PİLOT

POZİSYON  
POSITION



**kg** 49


BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
419	215	256	288	335	10	23,5





Wis No	<b>W 6310050</b>
ORJ. REF. NR.	0308835050 - 0308835057 - 0308835030
MODEL	BPW KOGEL - KRONE SB4345 - SB7 - SN7 290 LİK DAR BOĞAZ - 290 NARROW THROAT
POZİSYON POSITION	 TREYLER TREILER

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	159,5	290	335	10	22,5




## DİSK/DISC

**BPW**

Wis No	<b>W 6310051</b>
ORJ. REF. NR.	0308835050 - 0308835057 - 0308835030
MODEL	BPW KOGEL - KRONE SB4345 - SB7 - SN7 GENİŞ BOĞAZ - YENİ MODEL - WIDE THROAT NEW MODEL
POZİSYON POSITION	 TREYLER TREILER




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	159,5	293	335	10	22,5



**BPW**

Wis No	<b>W6310180</b>
ORJ. REF. NR.	0308834020-0308834060-0308834067 0308834040-0308834047-0300224093-K050086 0308834067-04637000A-0908834067-04637300A
MODEL	BPW KOGEL SB3745-SB 6000 / 160 LİK DAR BOĞAZ (290) 160 NARROW THROAT (290)
POZİSYON POSITION	 TREYLER TREILER



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
377	45	159,5	290	335	10	23


**BPW**

DİSK/DISC



Wis No	<b>W6310190</b>
ORJ. REF. NR.	0308834080 - 0308834087 - MBR5060 04637700A - 0908834087 - 6501461 - DF5024D - K072616
MODEL	BPW KOGEL-SKH SERİ (SB3745 - SB6000 ) 170 LİK DAR BOĞAZ - 170 NARROW THROAT
POZİSYON POSITION	 TREYLER TREILER


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
377	45	169,5	290	335	10	23






Wis No	<b>W6310470</b>
ORJ. REF. NR.	0308834030 - 0308834010 - 0308834017 - 0308834037 - 0170551044621 - 125669203
MODEL	SKH SERIES
POZİSYON POSITION	 TREYLER TREILER

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
377	45	159,5	230	275	8	23




Wis No	<b>W6310480</b>
ORJ. REF. NR.	0308834100 - 0308834107
MODEL	SKH SERIES SB3745 ECO PLUS 2 - 290 LİK DAR BOĞAZ 290 NARROW THROAT
POZİSYON POSITION	 TREYLER TREILER



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
377	45	159,5	290	335	10	23

Wis No	<b>W6310481</b>	
ORJ. REF. NR.	0308834130 - 0308834137	
MODEL	SKH SERIES SB3745 ECO PLUS 2 298 LIK DAR BOĞAZ - 298 NARROW THROAT	
POZİSYON POSITION	 TREYLER TREILER	 <b>28</b>




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
377	45	159,5	298	335	10	23



Wis No	<b>W6324010</b>	
ORJ. REF. NR.	0310546290 - 0310946490 - 9380005 - 0310646100	
MODEL	NR SERIES TYPE ECO 300 x 200	
POZİSYON POSITION	 TREYLER TREILER	 <b>36,5</b>

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
300	209,5	260	190	225	10	23




KAMPANA/DRUM

**BPW**



Wis No	<b>W6324040</b>
ORJ. REF. NR.	0310546200 - 0310946400 - 9380004 - 117308
MODEL	300 x 200
POZİSYON POSITION	 TREYLER TREILER



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
300	244,5	295	190	225	10	23



KAMPANA/DRUM

**BPW**



Wis No	<b>W6324060</b>
ORJ. REF. NR.	0310546100 - 0310546120 - 0310546190 - 125779902 - 65665
MODEL	300 x 200 JUMBO ZR / TIRSAN JUMBO
POZİSYON POSITION	 TREYLER TREILER



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
300,2	220	295	190	225	10 / 2	23 - 40 F / M8x1,25


# BPW

Wis No	W 6324070	
ORJ. REF. NR.	0310590050	
MODEL	360 x 179	
POZİSYON POSITION	 TREYLER TRAILER	 38 kg




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
360	189,5	220	230	225	8 / 2	23 / 11

# BPW



Wis No	W 6324080	
ORJ. REF. NR.	0310590040 - 0310990240 - 9380021 - 67020	
MODEL	KH, KR, KM SERIES 360 x 200 JUMBO (10 DELİK / 10 HOLES )	
POZİSYON POSITION	 TREYLER TRAILER	 46,5 kg

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
360	209	263	190	225	10	23




KAMPANA/DRUM

**BPW**



Wis No	<b>W6324090</b>
ORJ. REF. NR.	0310590020 - 0310990220 - 9380018
MODEL	360 x 200 JUMBO ( 8 DELİK / 8 HOLES )
POZİSYON POSITION	 48


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
360	200	263	230	275	8	23



KAMPANA/DRUM

**BPW**



Wis No	<b>W6324100</b>
ORJ. REF. NR.	0310600010
MODEL	
POZİSYON POSITION	 35



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
400,2	140	165	290	335	10	23


# BPW

Wis No	<b>W6324110</b>	
ORJ. REF. NR.	0310627110	
MODEL		
POZİSYON POSITION	 TREYLER TREILER	 <b>34,5</b>




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
400,2	140	165	290	335	10	23

# BPW



Wis No	<b>W6324120</b>	
ORJ. REF. NR.	0310691090	
MODEL	410 X 125	
POZİSYON POSITION	 TREYLER TREILER	 <b>37,5</b>

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410,2	132	197	230	275	8	23




KAMPANA/DRUM

**BPW**



Wis No	<b>W6324130</b>
ORJ. REF. NR.	<b>0310691080</b>
MODEL	<b>410 x 125</b>
POZİSYON POSITION	 TREYLER TREILER


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410,2	132	197	290	335	10	23



KAMPANA/DRUM

**BPW**


Wis No	<b>W6324140</b>
ORJ. REF. NR.	<b>310691110</b>
MODEL	<b>410 x 125</b>
POZİSYON POSITION	 TREYLER TREILER



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410,2	132,5	167	230	275	8	23

# BPW

Wis No	<b>W6324150</b>
ORJ. REF. NR.	<b>0310691100</b>
MODEL	<b>410 X 125 / ÇAKMA</b>
POZİSYON POSITION	 TREYLER TRAILER



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
410	137	167	290	335	10	23


# BPW

KAMPANA/DRUM



Wis No	<b>W6324160</b>
ORJ. REF. NR.	<b>0310691070</b>
MODEL	<b>410 X 180</b>
POZİSYON POSITION	 TREYLER TRAILER

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
410,2	191,5	226	290	335	10	23




KAMPANA/DRUM

**BPW**




Wis No	<b>W6324170</b>
ORJ. REF. NR.	0310667290 - 0310667440 - 0310667450 - 125779401 - 559164 - 894563
MODEL	420 x 200
POZİSYON POSITION	 TREYLER  TREILER

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	210	238,5	290	335	6	21




KAMPANA/DRUM

**BPW**



Wis No	<b>W6324180</b>
ORJ. REF. NR.	0310667620 - 0310967130 - 0310967820 125779414 - 9328008 - 117152 - 66131 MBD1034 - 04662710A
MODEL	420x180 OPTİMA MAKİMA ( Eski Model / Old Model )
POZİSYON POSITION	 TREYLER  TREILER




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	195	230	290	335	10	23

**BPW**

KAMPANA/DRUM

Wis No	<b>W6324190</b>
ORJ. REF. NR.	0310667540 - 0310967740 - 0310967540 125779411 - 9380029-66130
MODEL	HS, HZ, HZM TYPE ECO 420 x 180
POZİSYON POSITION	 TREYLER TRAILER

 **51**



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
420	193	250	290	335	10	23

**BPW**

KAMPANA/DRUM



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
420	196	226	290	335	10	23

Wis No

**W6324210**

ORJ. REF. NR.

0310967190-0310967790-9380039-0310967320  
04669800A-MBD1053-T025212

MODEL

ECOMEX PILOT (18 LİK ÇAKMA KAMPANA )


POZİSYON  
POSITION



TREYLER  
TRAILER



**41**




KAMPANA/DRUM

**BPW**



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420,2	216	287	290	335	10	23

Wis No	<b>W6324240</b>
ORJ. REF. NR.	0310677530 - 0310977450
MODEL	400 x 200
POZİSYON POSITION	 TREYLER TREILER




KAMPANA/DRUM

**BPW**



Wis No	<b>W6324250</b>
ORJ. REF. NR.	0310977720-0310977120-0310677670
MODEL	420 X 200
POZİSYON POSITION	 TREYLER TREILER



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	224	284	290	335	10	23 / 40 F




Wis No	<b>W6324270</b>	
ORJ. REF. NR.	0310677110-0310677360	
MODEL	420 x 200	
POZİSYON POSITION	 TREYLER TREILER	 <b>63</b>



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
420,2	224,5	308	290	335	10	23



Wis No	<b>W6324300</b>	
ORJ. REF. NR.	310977110 - 0310977330 - 0310977420	
MODEL	420 x 200	
POZİSYON POSITION	 TREYLER TREILER	 <b>52</b>



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
420	222	259	290	335	10	23


KAMPANA/DRUM

**BPW**



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	224,5	297	290	335	10	23



Wis No	<b>W6324340</b>
ORJ. REF. NR.	0310677630 - 0310677450 - 0310977460
MODEL	420 x 200
POZİSYON POSITION	 <b>TREYLER TREILER</b>



KAMPANA/DRUM

**BPW**


Wis No	<b>W6324370</b>
ORJ. REF. NR.	310677630
MODEL	BPW UZUN FLANS / BPW LONG FLANGE
POZİSYON POSITION	 <b>TREYLER TREILER</b>



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	200	298	290	335	10	23
FLANS KALINLIĞI 100mm FLANGE THICKNESS 100mm						

# BPW

Wis No	<b>W6324380</b>	
ORJ. REF. NR.	0310990040 - 1028459	
MODEL	360 x 200 ECOMAX	
POZİSYON POSITION	 TREYLER TREILER	 <b>45</b>



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
360	213	260	190	225	10	23


# BPW



Wis No	<b>W6324450</b>	
ORJ. REF. NR.	310677630	
MODEL	BPW UZUN FLANS / BPW LONG FLANGE	
POZİSYON POSITION	 TREYLER TREILER	 <b>58</b>

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
420	200	298	290	335	10	23

FLAŞ KALINLIĞI 70mm  
FLANGE THICKNESS 70mm




## DİSK/DISC



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	130	131	168	12 / 3	19 / M12x1,5

Wis No	<b>W6310070</b>
ORJ. REF. NR.	4079000501 - 4079000500 - 4079000502 - 4079000600 - A9424211312 - K005938
MODEL	SK RB 9022 22,5 JANT SAF ( BÜYÜK GÖBEKLİ - BIG BELLY )
POZİSYON POSITION	 TREYLER TREILER


32,5



## DİSK/DISC

**SAF**



Wis No	<b>W6310090</b>
ORJ. REF. NR.	4079001300 - 4079001301 - 4079001302 - 4079001303
MODEL	SKRB 9022 - SAF BÜYÜK GÖBEKSİZ
POZİSYON POSITION	 TREYLER TREILER



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	48	170	190	10	13,5

# SAF

Wis No	<b>W 6311960</b>	
ORJ. REF. NR.	1009863 - 4079000700 - 4079000701 - 4079000702 - 7407900703 - 4079000410	
MODEL	SKRB 9019 - 9022 SAF ( KÜCÜK GÖBEKLİ - SMALL BELL )	
POZİSYON POSITION	 TREYLER TREILER	 <b>24,5</b>




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
376	45	139,5	131	168	12 / 3	19 / M12x1,5

# SAF



Wis No	<b>W 6311970</b>	
ORJ. REF. NR.	4079000400 - 016285 - MBR5072 - 0662500A	
MODEL	SK RS 9019 - 11019 / SK RZ 9019 - 11019 ( 19,5 JANT )	
POZİSYON POSITION	 TREYLER TREILER	 <b>27</b>

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
377	45	157,5	211	274	8	22,75



## DİSK/DISC


**SAF**



Wis No	<b>W 6311980</b>
ORJ. REF. NR.	4079001003 - 4079001001 - 4079001000 - 4079001002 - 4079001004
MODEL	SKRB 9019 - SAF ( KÜCÜK BÖBEKSİZ )
POZİSYON POSITION	TREYLER TREILER

**kg** 22,5

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
375,5	45	57,5	170,5	190	10	13,5




## DİSK/DISC

**SAF**

Wis No	<b>W6312000</b>
ORJ. REF. NR.	4079000300 - 4079000301 - 1004657
MODEL	SKRS 9022 AXLE-11222/SK RZ 9022 11222(22,5 JANT)
POZİSYON POSITION	TREYLER TREILER

**kg** 37,5




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	160,5	276	335	10	22,75

**SAF**

**DİSK/DISC**

Wis No	<b>W6312010</b>		
ORJ. REF. NR.	4079001700 - 4079001701		
MODEL	B9 SERIES 22K - 22K01- 22W- 22S		
POZİSYON POSITION		TREYLER TREILER	 32




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	131,5	189	215	10	M14x1,5

**SAF**

**KAMPANA/DRUM**



Wis No	<b>W6325000</b>		
ORJ. REF. NR.	1064026001 - 1064026000 - 1064026002 Y011001895 - 06643900A - MBD1138- 10640260012		
MODEL	420 x 180 SKRS / SKRLS - 9042		
POZİSYON POSITION		TREYLER TREILER	 45,5



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
420	194	227	300	335	10	23


## DİSK/DISC

**SCHMITZ**



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	168,5	290	335	10	22,5


Wis No	<b>W6312050</b>
ORJ. REF. NR.	017870 - 09940620 - 1176816
MODEL	SCHMITZ CARGOBULL
POZİSYON POSITION	TREYLER TREILER



## DİSK/DISC

**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

Wis No	<b>W6310052</b>
ORJ. REF. NR.	0308835050 - 0308835057 - 0308835030
MODEL	BPW KOGEL - KRONE SB4345 - SB7 - SN7 290 LIK DAR BOĞAZ - 290 NARROW THROAT
POZİSYON POSITION	TREYLER TREILER




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
430	45	159,5	290	335	10	23

[www.wisgroup.com.tr](http://www.wisgroup.com.tr)

**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

**KAMPANA/DRUM**


Wis No	<b>W6324600</b>		
ORJ. REF. NR.	0310967190 - 0310967790 - 310967290 9380039 0310967320 - 04669800A - MBD1053-T025212		
MODEL	ECOMEX PILOT ( 18 LİK ÇAKMA KAMPANA)		
POZİSYON POSITION		TREYLER TREILER	 <b>39</b>



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	193,5	226	290	335	10	23


**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**


**KAMPANA/DRUM**



Wis No	<b>W6325380</b>		
ORJ. REF. NR.			
MODEL	20' LİK ÇAKMA KAMPANA (S)		
POZİSYON POSITION		TREYLER TREILER	 <b>50,5</b>


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	217	257	290	335	10	23




**KAMPANA/DRUM**
**YERLİ AKS ÜRETİCİLERİ  
LOCAL AXLE MANUFACTURERS**


Wis No	W6324610	
ORJ. REF. NR.		
MODEL	SERTEL T5 / PİLOT	
POZİSYON POSITION	TREYLER TREILER	kg 56

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	232	285	280	335	10	23


**KAMPANA/DRUM**
**YERLİ AKS ÜRETİCİLERİ  
LOCAL AXLE MANUFACTURERS**

Wis No	W6325350	
ORJ. REF. NR.		
MODEL	OSMAN KOÇ K1	
POZİSYON POSITION	TREYLER TREILER	kg 51




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	230	262	290	335	10	24

**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

**KAMPANA/DRUM**


Wis No	W6325360	
ORJ. REF. NR.		
MODEL	20' LİK ÇAKMA KAMPANA ( S ) HAFİF SERİ - LIGHT SERIES	
POZİSYON POSITION	 TREYLER TREILER	 kg 47,5



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
420	217	257	290	335	10	23


**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

**KAMPANA/DRUM**




Wis No	W 6325370	
ORJ. REF. NR.		
MODEL	20' LİK ÇAKMA KAMPANA ( D )	
POZİSYON POSITION	 TREYLER TREILER	 kg 50,5

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
420	217	257	290	335	10	23




## KAMPANA/DRUM



**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

Wis No	<b>W 6325390</b>
ORJ. REF. NR.	
MODEL	SERİN 420 x 200 - SERTEL K4
POZİSYON POSITION	TREYLER TREILER


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	210	146	180	335	10	23



## KAMPANA/DRUM

**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

Wis No	<b>W 6325450</b>
ORJ. REF. NR.	
MODEL	CEYLAN 22 LİK ÇAKMA (D)
POZİSYON POSITION	TREYLER TREILER



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
420	240	275	290	335	10	23

**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

**KAMPANA/DRUM**

Wis No

**W 6325560**

ORJ. REF. NR.

MODEL 330 JUMBO / HAFİF SERİ - LIGHT SERIES




POZİSYON  
POSITION



TREYLER  
TREILER




**37,5**



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
330	210	267	180	225	10 / 2	23 / 30 - 12,5 F

**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

**KAMPANA/DRUM**



Wis No

**W 6325570**

ORJ. REF. NR. **OK-JK-17.5**

MODEL ALTINORDU FAO JUMBO 180

POZİSYON  
POSITION





TREYLER  
TREILER



**41**

BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
305	214	265	180	225	10 / 2	23 / 30 - 12 F




## KAMPANA/DRUM

**YERLİ AKS ÜRETİCİLERİ  
LOCAL AXLE MANUFACTURERS**



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
330	210	248	190	225	10	23,5


Wis No	W6325580	
ORJ. REF. NR.		
MODEL	OSMAN KOÇ ( BPW JUMBO )	
POZİSYON POSITION	TREYLER TREILER	kg 31,5



## KAMPANA/DRUM

**YERLİ AKS ÜRETİCİLERİ  
LOCAL AXLE MANUFACTURERS**

Wis No	W6325610	
ORJ. REF. NR.		
MODEL	ÖZKOÇ 2802 JUMBO KAMPANA	
POZİSYON POSITION	TREYLER TREILER	kg 36




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
331	209	256	190	225	10	23



**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

**KAMPANA/DRUM**


Wis No	<b>W6325590</b>	
ORJ. REF. NR.		
MODEL	CEYLAN 330 JUMBO	
POZİSYON POSITION	 TREYLER TREILER	 <b>43</b>



BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
330	210	267	180	225	10/2	23 / 30 - 12,5 F


**YERLİ AKS ÜRETİCİLERİ**  
**LOCAL AXLE MANUFACTURERS**

**KAMPANA/DRUM**




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
420	202	240	290	335	10 / 2 / 2	23 / 25 - 13 H / M12x1,75

Wis No	<b>W6325600</b>	
ORJ. REF. NR.		
MODEL	CAM DORSE KAMPANA/GLASS TRAILER BRAKE DRUM	
POZİSYON POSITION	 TREYLER TREILER	 <b>42,5</b>




## KAMPANA/DRUM

**YORK**



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
419	190	236	281	335 / 320	10 / 2	23,5 / M12x1,75


Wis No	<b>W6323810</b>
ORJ. REF. NR.	<b>Y786108 - 786108</b>
MODEL	<b>YORK YTE 419 x 178</b>
POZİSYON POSITION	 TREYLER TREILER



## KAMPANA/DRUM

**YABANCI AKS ÜRETİCİLERİ**  
**FOREIGN AXLE MANUFACTURERS**

Wis No	<b>W6325460</b>
ORJ. REF. NR.	<b>3600AX - 123207 -66864B - 5303301</b>
MODEL	<b>U.S.A. BRAKE DRUM</b>
POZİSYON POSITION	 TREYLER TREILER




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
419,1	193	268,2	223	285,75	25,5	10

**VOLVO**

**DİSK/DISC**

Wis No	<b>W6810100</b>	
ORJ. REF. NR.	85103803 - 85110496 - 20515093 - 7421575117 - 21575071	
MODEL	FH 12/FH16/FM -12/FL-ORIGINAL ÖLÇÜ-ORIGINAL SIZE	
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR	 <b>26,5</b>




BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
434	45	45	220	-	-	-

**VOLVO**

**DİSK/DISC**

Wis No	<b>W6810101</b>	
ORJ. REF. NR.	85103803 - 85110496 - 20515093	
MODEL	FH 12 / FH16 / FM -12 / FL - SIKI GEÇME ( ASINMIS PORYA İÇİN )	
POZİSYON POSITION	 ÖN/ARKA FRONT/REAR	 <b>26,5</b>

BALATA ÇAPI DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPI HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPI HOLE DIAMETER
A	B	H	C	I	N	Ø
434	45	45	220	-	-	-




## DISK/DISC

**VOLVO**



Wis No	<b>W6810102</b>
ORJ. REF. NR.	3092710 - 8551042 - 03988838 - MBR9000 - 3092710S
MODEL	FH 12 / FH16 / FM -12 - DOLU - SOLID
POZİSYON POSITION	ÖN/ARKA FRONT/REAR


BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
434	45	45	218	-	-	-



## DISK/DISC

**VOLVO**

Wis No	<b>W6810103</b>
ORJ. REF. NR.	85103804 - 85110495 - 5001667798 - 5001867798
MODEL	FH 12 / FH16 / FM -12 / FL - 410mm
POZİSYON POSITION	ARKA REAR




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	45	45	220	-	-	-

**VOLVO**

**DİSK/DISC**

Wis No	<b>W6810104</b>	
ORJ. REF. NR.	<b>85103806</b>	
MODEL	FH 12 / FH16 / FM -12 / FL - 410mm - DOLU - SOLID	
POZİSYON POSITION	 ARKA REAR	 <b>34</b>



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
434	45	45	220	-	-	-


## **VOLVO MOUNTING KIT** **VOLVO MONTAJ KİTİ**

Wis No	<b>W6830020</b>	
ORJ. REF. NR.	<b>20375549-20375549</b>	
MODEL	FH12 / FH16 / FM12	
POZİSYON POSITION		 <b>0,93</b>




## KAMPANA/DRUM

**VOLVO**



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	218	293,5	282	335	10 / 2 / 2	28,1 / 24 - 18 F / M20X2,5


Wis No	<b>W6823390</b>
ORJ. REF. NR.	3171747 - 1075309 - 21094123 - 20713927 - 21508812 - 742013927 - MBD1163 - 21451967 7421451973 - 7421359819
MODEL	FL 7-10-12, FH 12-16
POZİSYON POSITION	 <b>ARKA</b> <b>REAR</b>



## KAMPANA/DRUM

**VOLVO**

Wis No	<b>W6823500</b>
ORJ. REF. NR.	1599968 - 7401599968
MODEL	F 10-12-16, FK 7-10
POZİSYON POSITION	 <b>ÖN</b> <b>FRONT</b>




BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	193	218	290	335	6	16

**VOLVO**

**KAMPANA/DRUM**

Wis No	<b>W6825530</b>
ORJ. REF. NR.	3171747 - 1075309 - 21094123 - 20713927 - 21508812 - 742013927 - MBD1163 - 21451967 7421451973 - 7421359819
MODEL	FL 7-10-12, FH 12-16 / HAFİF SERİ - LIGHT SERIES
POZİSYON POSITION	 ARKA REAR  kg      65



BALATA ÇAPı DIAMETER INSIDE	BALATA BOYU BRAKE SURFACE	KOMPLE BOY TOTAL HEIGHT	GÖBEK ÇAPı HUB DIAMETER	DELİK MERKEZİ DISTANCE BETWEEN HOLES	DELİK SAYISI HOLES QUANTITY	DELİK ÇAPı HOLE DIAMETER
A	B	H	C	I	N	Ø
410	218	293,5	282	335	10 / 2 / 2	28,1 / 24 · 18 F / M20X2,5

## ABS Modülatörleri / ABS Modulators



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Araç Bilgisi <i>Applications</i>
<b>W 800 00900</b>	472 195 009 0	<b>A</b>	PEGASO - LEYLAND/DAF - ERF - IVECO - MAN
<b>W 800 01100</b>	472 195 011 0	<b>A</b>	OPTARE - DAF
<b>W 800 01600</b>	472 195 016 0	<b>B</b>	MERCEDES (ACTROS) - DAF - EVOBUS - DENNIS - ERF - MAN - RENAULT VI
<b>W 800 01800</b>	472 195 018 0	<b>B</b>	DAF - DENNIS - FAUN - FORD - IVECO - SCANIA - TEREX-DEMAG - VOLVO - ISUZU
<b>W 800 02000</b>	472 195 020 0	<b>C</b>	DAF - EVOBUS - FRUEHAUF - KAESSEBOHRER - NEOPLAN KÖGEL - KRONE - ORTHAUS - SCHMITZ - DORSE / TRAILER
<b>W 800 03100</b>	472 195 031 0	<b>D</b>	FRUEHAUF - KOGEL - RENAULT VI - SCHMITZ - DORSE / TRAILER



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Araç Bilgisi <i>Applications</i>
<b>W 800 40470</b>	950 364 047	<b>A</b>	DORSE / TRAILER
<b>W 800 91520</b>	BR9152	<b>B</b>	DAF - DENNIS - IKARBUS - OPTARE - STEYR - MERCEDES - RENAULT VOLVO - TEMSA - SCANIA - BMC - ERF - IVECO - KAESSEBOHRER - NEOPLAN
<b>W 800 91560</b>	BR9156	<b>C</b>	NEOPLAN - MAN - IVECO - OTOKAR - TEMSA DENNIS - LEYLAND/DAF - SCANIA - VOLVO

## Bobin / Selenoid



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Kullanılan Ürün <i>Used Products</i>
<b>W 800 40472</b>	-----	<b>A</b>	W 800 40470 - 950 364 047
<b>W 800 71020</b>	442 197 710 2	<b>B</b>	W 800 04100 - 472 195 041 0
<b>W 890 92221</b>	442 001 222 1	<b>C</b>	463 084 031 0

**ABS - EBS Modülatörleri / ABS - EBS Modulators**

 ■ Repair Kit No  
**W 800 04101**

 Alt. Ref. No  
 ----

 ■ Repair Kit No  
**W 800 04102**

 Alt. Ref. No  
 ----


Ürün No Product No	Referans No Alt. Ref. No	Tamir Takımları Repair Kits	Araç Bilgisi Applications
<b>W 800 04100</b>	472 195 041 0	W 800 04101 - W 800 04102	RENAULT VI - DORSE / TRAILER


 ■ Repair Kit No  
**W 800 08101**

 Alt. Ref. No  
 ----

 ■ Repair Kit No  
**W 800 08102**


 Alt. Ref. No  
 ----


Ürün No Product No	Referans No Alt. Ref. No	Tamir Takımları Repair Kits	Araç Bilgisi Applications
<b>W 800 08100</b>	400 500 081 0	W 800 08101 - W 800 08102	DORSE / TRAILER


 ■ Repair Kit No  
**W 805 01501**

 Alt. Ref. No  
 ----

 ■ Repair Kit No  
**W 805 01502**

 Alt. Ref. No  
 ----


Ürün No Product No	Referans No Alt. Ref. No	Tamir Takımları Repair Kits	Araç Bilgisi Applications
<b>W 805 01500</b>	480 102 015 0	W 805 01501 - W 805 01502	DORSE / TRAILER


 ■ Repair Kit No  
**W 805 06302**

 Alt. Ref. No  
 ----


Ürün No Product No	Referans No Alt. Ref. No	Tamir Takımları Repair Kits	Araç Bilgisi Applications
<b>W 805 06300</b>	480 102 063 0	W 805 06302	DORSE / TRAILER

## Ecas Solenoid Ventiller / Ecas Solenoid Valves

A



B



C



D



E



F



G



H




I



Ürün No Product No	Referans No Alt. Ref. No	Tip Type	Araç Bilgisi Applications
<b>W 810 00100</b>	472 900 001 0	<b>A</b>	MAN - RENAULT VI - MERCEDES - DAF - EVOBUS - IVECO - NEOPLAN
<b>W 810 05300</b>	472 900 053 0	<b>C</b>	MAN - RENAULT VI - DAF - MERCEDES - ERF - EVOBUS - IVECO - NEOPLAN - SCANIA
<b>W 810 05500</b>	472 900 055 0	<b>C</b>	MAN - DAF - SCHMITZ
<b>W 810 05900</b>	472 900 059 0	<b>B</b>	IVECO - RENAULT VI
<b>W 810 06000</b>	472 900 060 0	<b>C</b>	DAF - MERCEDES - EVOBUS
<b>W 810 06100</b>	472 900 061 0	<b>C</b>	DAF - SCANIA
<b>W 810 06200</b>	472 900 062 0	<b>C</b>	DAF - SCANIA
<b>W 810 06300</b>	472 900 063 0	<b>C</b>	DAF - IVECO
<b>W 810 06500</b>	472 900 065 0	<b>C</b>	MAN - ERF - KRONE - RENAULT VI
<b>W 810 07300</b>	472 900 073 0	<b>C</b>	---
<b>W 810 05400</b>	472 900 054 0	<b>D</b>	IVECO - MAN TGA
<b>W 810 05600</b>	472 900 056 0	<b>E</b>	DAF - SCANIA - VOLVO - IVECO - MAN - EVOBUS
<b>W 810 05700</b>	472 900 057 0	<b>F</b>	MAN TGA - ERF
<b>W 810 05800</b>	472 900 058 0	<b>D</b>	MERCEDES ACTROS, ATEGO
<b>W 810 06400</b>	472 900 064 0	<b>D</b>	IVECO
<b>W 810 11000</b>	472 900 110 0	<b>G</b>	DAF - IVECO
<b>W 810 11200</b>	472 900 112 0	<b>G</b>	SCANIA - DAF
<b>W 810 11300</b>	472 900 113 0	<b>G</b>	SCANIA - DAF
<b>W 810 11400</b>	472 900 114 0	<b>G</b>	DAF - IVECO
<b>W 811 00000</b>	472 880 000 0	<b>H</b>	MERCEDES AXOR
<b>W 811 00100</b>	472 880 001 0	<b>H</b>	DAF - MAN
<b>W 811 03000</b>	472 880 030 0	<b>I</b>	IVECO

## Ecas Solenoid Ventiller / Ecas Solenoid Valves



Ürün No Product No	Referans No Alt. Ref. No	Tip Type	Araç Bilgisi Applications
<b>W 811 05000</b>	472 880 050 0	<b>A</b>	SCANIA - MAN
<b>W 812 00014</b>	0 501 100 014	<b>B</b>	VOLVO
<b>W 812 00018</b>	0 501 100 018	<b>C</b>	VOLVO
<b>W 812 00028</b>	0 501 100 028	<b>D</b>	VOLVO - SCANIA - OPTARE
<b>W 812 00031</b>	0 501 100 031	<b>E</b>	VOLVO
<b>W 812 00035</b>	0 501 100 035	<b>D</b>	VOLVO - SCANIA - OPTARE
<b>W 812 00052</b>	0 501 100 052	<b>F</b>	VOLVO
<b>W 813 11100</b>	472 905 111 0	<b>G</b>	MERCEDES - DAF - MAN
<b>W 815 01020</b>	K019820N50	<b>H</b>	RENAULT - VOLVO
<b>W 815 01030</b>	K019821N50	<b>I</b>	RENAULT - VOLVO

## ABS Hız Sensörleri / ABS Speed Sensors



Tip Type	Ürün No Product No	OEM Referans No OEM Alt. Ref. No	Referans No Alt. Ref. No	Ölçü Size	Araç Bilgisi Applications
1	<b>W 820 02380</b>	81 27120 6149	0 486 000 238	200 cm	MAN
1	<b>W 820 02410</b>	81 27120 6156	0 486 000 241	200 cm	MAN
1	<b>W 820 02420</b>	81 27120 6157	0 486 000 242	200 cm	MAN
2	<b>W 820 33200</b>	7420785815 - 7420787815	441 032 332 0	245 cm	RENAULT VI
2	<b>W 820 33300</b>	7420785816 - 7420787816	441 032 333 0	175 cm	RENAULT VI
3	<b>W 820 38800</b>	21247161	441 032 388 0	430 cm	VOLVO
3	<b>W 820 38900</b>	21247157	441 032 389 0	430 cm	VOLVO
4	<b>W 820 76500</b>	A3565400617	441 032 765 0	144 cm	MERCEDES
5	<b>W 820 76700</b>	A0005403417	441 032 767 0	150 cm	MERCEDES
8	<b>W 820 80800</b>	233170500-1315698-1504951 CF102959-175123N-5801115879 9441032808-A0025423118 1195759	441 032 808 0 441 032 578 0 441 032 921 2	40 cm	DAF 75/85/95- FRUEHAUF IVECO TURBOSTAR/TEC-MERCEDES VOLVO-RENAULT-SCHMITZ-KÖGEL
8	<b>W 820 80900</b>	1504929 - 98CT2B372AA - 335665 - 355034012 99707730190 - 77880750340 - N2955016004 6538778 - 5058078841-5010422332-5021170123	441 032 809 0 441 032 579 0 441 032 922 2	100 cm	DAF-FORD-IVECO-KÖGEL-KRONE RENAULT-SCHMITZ-DENNIS MAN-FAUN
8	<b>W 820 85100</b>	A0025422518 - 0025422518	441 032 851 0 441 032 966 2	150 cm	MERCEDES ACTROS 1829/28 2531/35/40/43/48 2640/43/48 2653 3331/35/40/43
8	<b>W 820 86200</b>	41200584 - 1524829	441 032 862 0	250 cm	IVECO STRALIS - DAF
8	<b>W 820 86300</b>	41200611 - 1524830	441 032 863 0	250 cm	IVECO STRALIS - DAF
6	<b>W 820 90000</b>	1400071 - 1506149 - 504013848 - A0015427918 AMR3342 - PRC8544D - 59277840	441 032 900 0 441 032 462 0 441 032 968 2	170 cm	DAF LF 45/55-IVECO-MERCEDES LANDROVER-TEREX DEMAG
6	<b>W 820 90500</b>	0233170700 - 1506004 - 99707007090 505820819 - N2255200060 - A0035421618 5021170124 - 4240468 - CF104083	441 032 905 0 441 032 443 0 441 032 963 2	35 cm	DAF-FAUN-FRUEHAUF KRONE-MAN-MERCEDES RENAULT VI - VOLVO
7	<b>W 820 90800</b>	1431118-1530700-1534518	441 032 908 0-441 032 408 0	142 cm	SCANIA
6	<b>W 820 92000</b>	1518009 - A0024523818 - A0025422718 0025423818 - 0025422718	441 032 920 0-441 032 429 0 441 032 430 0	250 cm	DAF - MERCEDES
6	<b>W 820 92100</b>	A0015428818 - 0015428818	441 032 921 0-441 032 456 0	300 cm	MERCEDES

## ABS Hız Sensörleri / ABS Speed Sensors



Tip Type	Ürün No Product No	OEM Referans No OEM Alt. Ref. No	Referans No Alt. Ref. No	Ölçü Size	Araç Bilgisi Applications
3	W 820 01090	5010143029	0 265 050 109	140 cm	RENAULT
4	W 820 01100	5010143030	0 265 050 110	140 cm	RENAULT
1	W 820 12500	81271206190 - 81271206222	441 032 125 0 441 035 109 0	200 cm	MAN
1	W 820 12600	81271206191 - 81271206223	441 032 126 0 441 035 110 0	200 cm	MAN
2	W 820 28300	81271206182 - 81271206119	441 032 283 0-441 035 263 0 441 035 296 0	210 cm	MAN
2	W 820 28400	81271206183 - 81271206120	441 032 284 0-441 035 264 0 441 035 297 0	210 cm	MAN

## Uzatma ve Kaliper Kapak Kabloları / Connecting & Sensor With Connector Socket



Tip Type	Ürün No Product No	OEM Referans No OEM Alt. Ref. No	Bilgi Information	Araç Bilgisi Applications
1	W 820 04000	449 712 040 0	ABS SENSÖR UZATMA / ABS CONNECTING CABLE / 400 cm	DAF - IVECO - KÖGEL
2	W 822 72303	449 723 030 0	EBS SENSÖR UZATMA / EBS CONNECTING CABLE / 300 cm	DORSE / TRAILER
2	W 822 72304	449 723 040 0	EBS SENSÖR UZATMA / EBS CONNECTING CABLE / 400 cm	DORSE / TRAILER
3	W 823 56022	449 756 022 0	KAPAK KABLOSU / SENSOR CABLE WITH CONNECTOR SOCKET / 220 cm	DAF - MERCEDES
3	W 823 56035	449 756 035 0	KAPAK KABLOSU / SENSOR CABLE WITH CONNECTOR SOCKET / 350 cm	DAF - MERCEDES
3	W 823 56050	449 756 050 0	KAPAK KABLOSU / SENSOR CABLE WITH CONNECTOR SOCKET / 500 cm	DAF - MERCEDES
3	W 823 56080	449 756 080 0	KAPAK KABLOSU / SENSOR CABLE WITH CONNECTOR SOCKET / 800 cm	DAF - MERCEDES
3	W 823 56100	449 756 100 0	KAPAK KABLOSU / SENSOR CABLE WITH CONNECTOR SOCKET / 1000 cm	DAF - MERCEDES
3	W 823 56120	449 756 120 0	KAPAK KABLOSU / SENSOR CABLE WITH CONNECTOR SOCKET / 1200 cm	DAF - MERCEDES

### Balata Aşınma Sensörleri / Pad Wear Indicators



Tip Type	Ürün No Product No	OEM Referans No OEM Alt. Ref. No	Bilgi Information	Araç Bilgisi Applications
2	W 825 01010	81259376015	ÖN - SAĞ & SOL / FRONT - RIGHT & LEFT / 210 cm	MAN TGA
2	W 825 01020	81259376041	ARKA - SOL / REAR - LEFT / 170 cm	MAN TGA
5	W 825 01030	81259376044	ARKA - SAĞ / REAR - RIGHT / 175 cm	MAN TGA
6	W 825 02010	5001856031	ÖN - SOL / FRONT - LEFT / 280 cm	RENAULT VI PREMIUM 420
4	W 825 02020	5001856032	ÖN - SAĞ / FRONT - RIGHT / 233 cm	RENAULT VI PREMIUM 420
1	W 825 02030	5001856033	ARKA - SOL / REAR - LEFT / 140 cm	RENAULT VI PREMIUM 420
6	W 825 02040	5001856034	ARKA - SAĞ / REAR - RIGHT / 140 cm	RENAULT VI PREMIUM 420
3	W 825 03010	7420928552	ARKA - SOL / REAR - LEFT / 128 cm	RENAULT VI PREMIUM 440
7	W 825 03020	7420928553	ARKA - SAĞ / REAR - RIGHT / 128 cm	RENAULT VI PREMIUM 440 - 430
3	W 825 03030	7420928559	ÖN - SOL / FRONT - LEFT / 360 cm	RENAULT VI PREMIUM 440 - 430
7	W 825 03040	7420928560	ÖN - SAĞ / FRONT - RIGHT / 520 cm	VOLVO FH - RENAULT VI PREMIUM 440
8	W 825 04010	20928532	ARKA - REAR / 80 cm	VOLVO FH12 - FH16
8	W 825 04020	20928533	ÖN - FRONT / 150 cm	VOLVO FH12 - FH16
9	W 825 04030	20928541	SOL - LEFT / 155 cm	VOLVO FH - FM
9	W 825 04040	20928547	SAĞ - RIGHT / 230 cm	VOLVO FH12 - FH16
9	W 825 04050	20928548	SOL - LEFT / 228 cm	VOLVO FH - FM
9	W 825 04060	20928563	SAĞ - RIGHT / 105 cm	VOLVO FH - FM
9	W 825 04070	20928564	SOL - LEFT / 105 cm	VOLVO FH - FM
9	W 825 04080	21390372	SAĞ - RIGHT / 155 cm	VOLVO FH - FM
9	W 825 04090	21390373	SAĞ - RIGHT / 255 cm	VOLVO FH - FM
9	W 825 04100	21390374	SOL - LEFT / 260 cm	VOLVO FH - FM
9	W 825 04110	21390375	SAĞ - RIGHT / 185 cm	VOLVO FH - FM
9	W 825 04120	21390376	SOL - LEFT / 185 cm	VOLVO FH - FM

## Ecas Körük Ventilleri / Ecas Hight Sensor



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Araç Bilgisi <i>Applications</i>
<b>W 830 00600</b>	441 050 006 0	<b>A</b>	MERCEDES - MAN - DENNIS - ERF - EVOBUS - FODEN - IVECO - DAF
<b>W 830 00700</b>	441 050 007 0	<b>B</b>	RENAULT VI
<b>W 830 00800</b>	441 050 008 0	<b>C</b>	MERCEDES - MAN - DAF - LANDROVER - RENAULT VI - SCANIA - VOLVO
<b>W 830 01000</b>	441 050 010 0	<b>C</b>	DAF - GOLDHOFER - IVECO - KÖGEL - KRONE - NEOPLAN - ORTHAUS - RENAUL VI - SCHMITZ - VOLVO
<b>W 830 01100</b>	441 050 011 0	<b>D</b>	DAF - ERF - FORD - FRUEHAUF - IVECO - KAESSBOHRER - KÖGEL - KRONE - MAN - MERCEDES NEOPLAN - RENAULT VI - SCANIA - SCHMITZ
<b>W 830 01200</b>	441 050 012 0	<b>D</b>	DAF - IVECO - KAESSBOHRER - KÖGEL - KRONE - MAN TGA - MERCEDES - RENAULT VI
<b>W 830 01300</b>	441 050 013 0	<b>D</b>	IVECO - RENAULT VI



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Araç Bilgisi <i>Applications</i>
<b>W 830 10000</b>	441 050 100 0	<b>A</b>	DAF - KAESSBOHRER - KRONE - RENAULT - BMC
<b>W 830 11100</b>	0 504 002 111	<b>B</b>	SCANIA
<b>W 830 11200</b>	0 504 002 112 - 0 504 002 107	<b>C</b>	VOLVO - RENAULT
<b>W 830 11300</b>	0 504 002 113 - 0 504 002 110	<b>B</b>	IVECO - RENAULT - DAF
<b>W 830 11400</b>	0 504 002 114	<b>B</b>	MAN
<b>W 830 12000</b>	441 050 120 0	<b>D</b>	DAF - IVECO - MAN - MERCEDES - SCANIA
<b>W 830 12100</b>	441 050 121 0	<b>D</b>	MERCEDES AXOR
<b>W 830 91010</b>	21253672	<b>E</b>	VOLVO

## Yük Ayar Ventili Kontrol Kolu / Knockle Joint



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Bilgi <i>Information</i>	Araç Bilgisi <i>Applications</i>
<b>W 840 00000</b>	433 302 000 0	<b>2</b>	<b>260 MM</b>	FODEN - KAMAZ - LEYLAND / DAF - MAN - MERCEDES - RENAULT - VOLVO
<b>W 840 00200</b>	433 302 002 0	<b>1</b>	<b>260 MM</b>	RENAULT - SCANIA - IVECO - MAN - VOLVO - DAF - EVOBUS - FODEN - FORD
<b>W 840 00300</b>	433 302 003 0	<b>1</b>	<b>320 MM</b>	MAN - MERCEDES - STEYR - VAN HOOL
<b>W 840 00800</b>	433 302 008 0	<b>2</b>	<b>160 MM</b>	DAF - MAN - MERCEDES - RENAULT VI
<b>W 840 01010</b>	433 302 *** 0	<b>3</b>	<b>190 MM</b>	MUHTELİF ARAÇLAR / VARIOUS VEHICLES
<b>W 840 01100</b>	433 302 011 0	<b>2</b>	<b>260 MM</b>	IVECO - MERCEDES
<b>W 840 01200</b>	433 302 012 0	<b>1</b>	<b>260 MM</b>	MAN
<b>W 840 01300</b>	433 302 013 0	<b>3</b>	<b>260 MM</b>	MERCEDES
<b>W 840 01400</b>	433 302 014 0	<b>3</b>	<b>220 MM</b>	IVECO - MAN
<b>W 840 01600</b>	433 302 016 0	<b>2</b>	<b>260 MM</b>	IVECO - RENAULT VI
<b>W 840 02000</b>	433 302 020 0	<b>2</b>	<b>160 MM</b>	MERCEDES
<b>W 840 02300</b>	433 302 023 0	<b>2</b>	<b>220 MM</b>	IVECO
<b>W 840 02500</b>	433 302 025 0	<b>3</b>	<b>160 MM</b>	DAF - MAN
<b>W 840 02600</b>	433 302 026 0	<b>3</b>	<b>220 MM</b>	MAN

## EBS Role Ventilleri / Proportional Relay Valves



■ Repair Kit No  
**W 850 10402** Alt. Ref. No ■  
**480 202 921 \*** ■



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tamir Takımları <i>Repair Kits</i>	Araç Bilgisi <i>Applications</i>
<b>W 850 00400</b>	480 202 004 0	W 850 10402	DAF - EVOBUS - MERCEDES - IVECO
<b>W 850 00500</b>	480 202 005 0	W 850 10402	DAF - MAN - MERCEDES

### Takviye Bobinleri / Solenoid Valves



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Voltaj <i>Voltage</i>	Araç Bilgisi <i>Applications</i>
<b>W 890 10800</b>	472 123 108 0	<b>A</b>	<b>24 V</b>	NEOPLAN - DAF - EVOBUS - IVECO - RENAULT - MAN - LEYLAND / DAF - SCHMITZ MERCEDES - VANHOLL - ZF - TEREX / DEMAG - KAESSEBOHRER - DORSE / TRAILER
<b>W 890 10812</b>	472 123 *** 0	<b>A</b>	<b>12 V</b>	Muhtelif / Various
<b>W 890 10810</b>	-----	<b>A</b>	<b>24 V</b>	<b>G 1/4"</b> Muhtelif / Various
<b>W 890 10814</b>	-----	<b>A</b>	<b>12 V</b>	<b>G 1/4"</b> Muhtelif / Various
<b>W 890 42800</b>	472 173 428 0	<b>B</b>	<b>24 V</b>	DAF - MAN
<b>W 890 60000</b>	472 170 600 0	<b>C</b>	<b>24 V</b>	DORSE / TRAILER
<b>W 890 60600</b>	472 170 606 0	<b>D</b>	<b>24 V</b>	DAF - FAUN - FORD - IVECO - KRONE - LEOPLAN - SCANIA - ZF
<b>W 890 62800</b>	472 070 628 0	<b>E</b>	<b>24 V</b>	ERF - MAN
<b>W 890 63900</b>	472 070 639 0	<b>F</b>	<b>24 V</b>	DAF - MERCEDES
<b>W 890 68600</b>	472 172 686 0	<b>G</b>	<b>24 V</b>	DAF
<b>W 890 70000</b>	472 173 700 0	<b>H</b>	<b>24 V</b>	DAF - DENNIS - FODEN - IVECO - KAESSEBOHRER - MERCEDES - RENAULT VI - SCHMITZ - ZF
<b>W 890 32110</b>	894 600 454 *	<b>I</b>	<b>24 V</b>	M27x1 - Muhtelif / Various
<b>W 890 32120</b>	449 515 004 *	<b>J</b>	<b>24 V</b>	BAJONET - Muhtelif / Various

### Dingil Kaldırma Valfleri / Lift Axle Control Valves



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Araç Bilgisi <i>Applications</i>
<b>W 890 00000</b>	571 040 000 0	<b>A</b>	DORSE / TRAILER
<b>W 890 03000</b>	-----	<b>B</b>	DORSE / TRAILER
<b>W 890 03100</b>	463 084 031 0	<b>C</b>	DORSE / TRAILER
<b>W 890 03110</b>	449 443 00* 0	<b>D</b>	DORSE / TRAILER

## Dingil Kaldırma Valfleri / Lift Axle Control Valves



Ürün No Product No	Tip Type	Bilgi Information	Araç Bilgisi Applications
W 890 98010	A	HAVA YAYLI VALF / AIR PULSE OPERATED VALVE - <b>1/4"</b> - 3x2	Muhtelif / Various
W 890 98020	B	ÇEKMELİ VALF / PUSH BUTTON OPERATED VALVE - <b>1/4"</b> - 3x2	Muhtelif / Various
W 890 98110	C	HAVA YAYLI VALF / AIR PULSE OPERATED VALVE - <b>1/4"</b> - 5x2	Muhtelif / Various
W 890 98120	D	ÇEKMELİ VALF / PUSH BUTTON OPERATED VALVE - <b>1/4"</b> - 5x2	Muhtelif / Various



Ürün No Product No	Tip Type	Bilgi Information	Araç Bilgisi Applications
W 890 97010	A	<b>24 V - G 1/4"</b>	Muhtelif / Various
W 890 97020	B	<b>24 V - G 1/4" x 2</b>	Muhtelif / Various
W 890 97025	B	<b>24 V - G 1/8" x 2</b>	Muhtelif / Various
W 890 97030	C	<b>24 V - G 1/4" x 3</b>	Muhtelif / Various
W 890 97040	D	<b>24 V - G 1/4" x 4</b>	Muhtelif / Various



Ürün No Product No	Tip Type	Bilgi Information	Araç Bilgisi Applications
W 890 99020	A	2'Lİ DAMPER DÜĞMESİ / DOUBLE ONE WAY VALVE	Muhtelif / Various
W 890 99030	B	3'LÜ DAMPER DÜĞMESİ / TRIPLE ONE WAY VALVE	Muhtelif / Various
W 890 99040	C	4'LÜ DAMPER DÜĞMESİ / QUARTET ONE WAY VALVE	Muhtelif / Various
W 891 32003	D	MECHANIC SWICHT PNEUMATIC SYSTEM - 3 POSITION	Muhtelif / Various

PRODUCT NO **W 950 10200**

REPAIR KIT **W 950 10202**

Ø80.5 mm



REFERANS NO:

**970 051 102 0**

VG3204

APPLICATION:  
DAF - IVECO - MERCEDES  
SCANIA

PRODUCT NO **W 950 10700**

REPAIR KIT **W 950 10702**

Ø108.8 mm



REFERANS NO:

**970 051 107 0**

APPLICATION:  
DAF - SCANIA

PRODUCT NO **W 950 11100**

REPAIR KIT **W 950 11102**

Ø80.5 mm



REFERANS NO:

**970 051 111 0**

VG3200

APPLICATION:  
MAN - IVECO - DAF  
NEOPLAN

PRODUCT NO **W 950 11400**

REPAIR KIT **W 950 10202**

Ø80.5 mm



REFERANS NO:

**970 051 114 0**

VG3204

APPLICATION:  
DAF - IVECO - MAN - SCANIA  
VDL BUS - NEOPLAN - ZF  
RENAULT VI - VAN HOOL

PRODUCT NO **W 950 12400**

REPAIR KIT **W 950 10702**

Ø108.8 mm



REFERANS NO:

**970 051 124 0**

APPLICATION:  
DAF - IVECO - RENAULT VI  
SCANIA

PRODUCT NO **W 950 12800**

REPAIR KIT **W 950 10702**

Ø108.8 mm



REFERANS NO:

**970 051 128 0**

APPLICATION:  
DAF - FORD - MERCEDES  
VW

PRODUCT NO **W 950 13100**

REPAIR KIT **W 950 13102**

Ø90.0 mm



REFERANS NO:

**970 051 131 0**

APPLICATION:  
DAF - MERCEDES  
RENAULT VI - SCANIA

PRODUCT NO **W 950 13700**

REPAIR KIT **W 950 13702**

Ø80.5 mm



REFERANS NO:

**970 051 137 0**

APPLICATION:  
DAF - MERCEDES - SCANIA

**PRODUCT NO** W 950 15800  
**REPAIR KIT** W 950 15802

Ø108.0 mm



**REFERANS NO:**  
970 051 158 0

**APPLICATION:**  
DAF - MERCEDES

**PRODUCT NO** W 950 15900  
**REPAIR KIT** W 950 15802

Ø108.0 mm



**REFERANS NO:**  
970 051 159 0

**APPLICATION:**  
DAF - RENAULT VI  
MERCEDES

**PRODUCT NO** W 950 16050  
**REPAIR KIT** W 950 16051    W 950 16052

Ø75.0 mm



**REFERANS NO:**  
APGA / 1605

**APPLICATION:**  
BMC FATİH - DODGE

**PRODUCT NO** W 950 16060  
**REPAIR KIT** W 950 16051    W 950 16052

Ø75.0 mm

W 950 16051



**REFERANS NO:**  
APGA/1605/P

**APPLICATION:**  
FORD CARGO

**PRODUCT NO** W 950 16300  
**REPAIR KIT** W 950 16302

Ø108.8 mm



**REFERANS NO:**  
970 051 163 0

**APPLICATION:**  
VW

**PRODUCT NO** W 950 17600  
**REPAIR KIT** W 950 17602

Ø108.8 mm

W 950 17602



**REFERANS NO:**  
970 051 176 0

**APPLICATION:**  
DAF - MAN - NEOPLAN  
ZF

**PRODUCT NO** W 950 19100  
**REPAIR KIT** W 950 10702

Ø108.8 mm



**REFERANS NO:**  
970 051 191 0  
622199AM

**APPLICATION:**  
DAF - SCANIA

**PRODUCT NO** W 950 19300  
**REPAIR KIT** W 950 10702

Ø108.8 mm

W 950 10702



**REFERANS NO:**  
970 051 193 0  
622107AM

**APPLICATION:**  
DAF - SCANIA

PRODUCT NO W 950 20900

REPAIR KIT W 950 20902

Ø108.8 mm



REFERANS NO:  
970 051 209 0

APPLICATION:  
DAF - RENAULT VI  
SCANIA

W 950 21800

W 950 21802

PRODUCT NO

REPAIR KIT

Ø108.8 mm



REFERANS NO:  
970 051 218 0

APPLICATION:  
DAF - RENAULT VI

PRODUCT NO W 950 22000

REPAIR KIT W 950 13702

Ø80.5 mm



REFERANS NO:  
970 051 220 0

APPLICATION:  
DAF - NEOPLAN - VDL BUS

W 950 22700

W 950 22702

PRODUCT NO

REPAIR KIT

Ø108.8 mm



REFERANS NO:  
970 051 227 0

APPLICATION:  
IVECO

PRODUCT NO W 950 41200

REPAIR KIT W 950 41202

Ø108.8 mm



REFERANS NO:  
970 051 412 0  
970 051 466 0  
627052AM

APPLICATION:  
DAF - MAN TGA - SCANIA

W 950 41700

W 950 43802

PRODUCT NO

REPAIR KIT

Ø108.8 mm



REFERANS NO:  
970 051 417 0

APPLICATION:  
FORD CARGO

PRODUCT NO W 950 42300

REPAIR KIT W 950 42302

Ø108.8 mm



REFERANS NO:  
970 051 423 0

APPLICATION:  
DAF - FORD - ZF  
SCANIA - VAN HOOL

W 950 42400

W 950 42302

PRODUCT NO

REPAIR KIT

Ø108.8 mm



REFERANS NO:  
970 051 424 0

APPLICATION:  
DAF - IVECO - MAN  
SCANIA - VAN HOOL - ZF

PRODUCT NO W 950 43100

REPAIR KIT W 950 43102

Ø108.0 mm



REFERANS NO:

970 051 431 0

625375AM

APPLICATION:  
DAF - MERCEDES - SCANIA  
RENAULT VI

PRODUCT NO W 950 43600

REPAIR KIT W 950 43602

Ø108.0 mm



REFERANS NO:  
970 051 436 0

APPLICATION:  
DAF - MERCEDES

VDL BUS

PRODUCT NO W 950 43800

REPAIR KIT W 950 43802

Ø108.8 mm



REFERANS NO:  
970 051 438 0

APPLICATION:  
CNHTC - DAF - IVECO  
RENAULT VI

PRODUCT NO W 950 44100

REPAIR KIT W 950 44102

Ø108.8 mm



REFERANS NO:  
970 051 441 0

APPLICATION:  
DAF - MAN - MERCEDES  
SCANIA

PRODUCT NO W 950 44300

REPAIR KIT W 950 44102

Ø108.8 mm



REFERANS NO:  
970 051 443 0

APPLICATION:  
MERCEDES

PRODUCT NO W 950 45100

REPAIR KIT W 950 45102

Ø80.5 mm



REFERANS NO:  
970 051 451 0

APPLICATION:  
OTOKAR

PRODUCT NO W 950 45500

REPAIR KIT W 950 43802

Ø108.8 mm



REFERANS NO:  
970 051 455 0

APPLICATION:  
FORD - IVECO

PRODUCT NO W 950 47300

REPAIR KIT W 950 47302

Ø108.8 mm



REFERANS NO:  
970 051 473 0

APPLICATION:  
CNHTC

PRODUCT NO W 950 98620

REPAIR KIT



REFERANS NO:  
970 051 986 2

APPLICATION:  
W 950 41200  
W 950 43100 W  
950 44100 W  
950 44300

PRODUCT NO W 951 00011

REPAIR KIT



REFERANS NO:  
970 150 450 \*

APPLICATION:  
MERCEDES  
W 951 00010

Ø126.0 mm

W 951 00011

PRODUCT NO  
W 951 00010

W 951 00012

REPAIR KIT



REFERANS NO:  
970 150 001 0

APPLICATION:  
MERCEDES

PRODUCT NO W 951 00012

REPAIR KIT



REFERANS NO:  
970 150 92\* 2

APPLICATION:  
MERCEDES  
W 951 00010

PRODUCT NO W 951 00013

REPAIR KIT



REFERANS NO:  
970 150 92\* 2

APPLICATION:  
MERCEDES  
W 951 00010

Ø75.0 mm

PRODUCT NO  
W 960 32000

W 960 32002

REPAIR KIT



REFERANS NO:  
VG3200

APPLICATION:  
MAN

PRODUCT NO W 950 32040

REPAIR KIT W 950 32042

Ø75.0 mm



REFERANS NO:  
VG3204

APPLICATION:  
DAF - NEOPLAN - IVECO  
DENNIS - LEYLAND/DAF  
ZF

Ø100.0 mm

PRODUCT NO  
W 960 32080

W 960 32082

REPAIR KIT



REFERANS NO:  
VG3208

APPLICATION:  
MAN

PRODUCT NO **W 960 32610**

REPAIR KIT **W 960 32612**

**Ø100.0 mm**



REFERANS NO:

**VG3261**

APPLICATION:

**MAN**

PRODUCT NO **W 960 32690**

REPAIR KIT **W 960 32692**

**Ø100.0 mm**



REFERANS NO:

**VG3269**

APPLICATION:

**IVECO - DAF**

PRODUCT NO **W 960 32870**

REPAIR KIT **W 960 32872**

**Ø100.0 mm**



REFERANS NO:

**VG3287**

APPLICATION:

**IVECO**

PRODUCT NO **W 960 32880**

REPAIR KIT **W 960 32882**

**Ø100.0 mm**



REFERANS NO:

**VG3288**

APPLICATION:

**IVECO**

PRODUCT NO **W 960 32890**

REPAIR KIT **W 960 32882**

**Ø100.0 mm**



REFERANS NO:

**VG3289**

APPLICATION:

**IVECO**

PRODUCT NO **W 960 33610**

REPAIR KIT **W 960 33612**

**Ø102.0 mm**



REFERANS NO:

**VG3361**

APPLICATION:

**MERCEDES - IVECO**

PRODUCT NO **W 970 03610**

REPAIR KIT **W 970 03612**

**Ø100.0 mm**



REFERANS NO:

**970 051 412 0**

**630361AM**

APPLICATION:

**MAN**

PRODUCT NO **W 970 04240**

REPAIR KIT **W 970 04242**

**Ø100.0 mm**



REFERANS NO:

**630424AM**

APPLICATION:

**RENAULT VI**

PRODUCT NO **W 970 10630**

REPAIR KIT **W 970 10632**

$\varnothing 80.0$  mm



REFERANS NO:

**631063AM**

DAF

PRODUCT NO **W 970 21070**

REPAIR KIT **W 970 21092**

$\varnothing 100.0$  mm



APPLICATION:

**SCANIA**

PRODUCT NO **W 970 21090**

REPAIR KIT **W 970 21092**

$\varnothing 100.0$  mm



REFERANS NO:

**622109AM**

SCANIA

PRODUCT NO **W 970 21900**

REPAIR KIT **W 970 21902**

$\varnothing 100.0$  mm



APPLICATION:

**SCANIA**

PRODUCT NO **W 970 21990**

REPAIR KIT **W 970 21902**

$\varnothing 100.0$  mm



REFERANS NO:

**622199AM**

SCANIA

PRODUCT NO **W 970 24240**

REPAIR KIT **W 970 10632**

$\varnothing 80.0$  mm



APPLICATION:

**LEYLAND/DAF**

PRODUCT NO **W 970 41990**

REPAIR KIT **W 970 21902**

$\varnothing 100.0$  mm



REFERANS NO:

**624199AM**

APPLICATION:  
**SCANIA**

PRODUCT NO **W 970 53750**

REPAIR KIT **W 970 53752**

$\varnothing 100.0$  mm



REFERANS NO:

**625375AM**

APPLICATION:

**MERCEDES**

PRODUCT NO **W 970 55240**

REPAIR KIT **W 970 55242**

$\varnothing 100.0$  mm



REFERANS NO:  
**625524AM**

APPLICATION:  
**RENAULT VI**

PRODUCT NO **W 970 61620**

REPAIR KIT **W 970 61622**

$\varnothing 100.0$  mm



REFERANS NO:  
**626162AM**

APPLICATION:  
**RENAULT VI**

PRODUCT NO **W 970 63920**

REPAIR KIT **W 970 63922**

$\varnothing 80.0$  mm



REFERANS NO:  
**626392AM**

APPLICATION:  
**VOLVO**

PRODUCT NO **W 970 66390**

REPAIR KIT **W 970 66392**

$\varnothing 95.0$  mm



REFERANS NO:  
**626639AM**

APPLICATION:  
**VOLVO**

PRODUCT NO **W 970 76120**

REPAIR KIT **W 970 04242**

$\varnothing 100.0$  mm



REFERANS NO:  
**627612AM**

APPLICATION:  
**RENAULT VI**

PRODUCT NO **W 970 80270**

REPAIR KIT **W 970 80272**

$\varnothing 100.0$  mm



REFERANS NO:  
**628027AM**

APPLICATION:  
**MAN**

PRODUCT NO **W 970 82590**

REPAIR KIT **W 970 82592**

$\varnothing 100.0$  mm



REFERANS NO:  
**628259AM**

APPLICATION:  
**DAF**

PRODUCT NO **W 970 82600**

REPAIR KIT **W 970 82592**

$\varnothing 100.0$  mm



REFERANS NO:  
**628260AM**

APPLICATION:  
**DAF**

PRODUCT NO **W 970 82750**

REPAIR KIT **W 970 82752**

$\varnothing 100.0$  mm



REFERANS NO:

**628275AM**

DAF

PRODUCT NO **W 970 82760**

REPAIR KIT **W 970 82762**

$\varnothing 80.0$  mm



APPLICATION:

**DAF**

PRODUCT NO **W 970 82770**

REPAIR KIT **W 970 82762**

$\varnothing 80.0$  mm



REFERANS NO:

**628277AM**

DAF

PRODUCT NO **W 970 84470**

REPAIR KIT **W 970 82752**

$\varnothing 100.0$  mm



APPLICATION:

**DAF**

PRODUCT NO **W 970 84480**

REPAIR KIT **W 970 82592**

$\varnothing 100.0$  mm



REFERANS NO:

**628448AM**

DAF

PRODUCT NO **W 970 84490**

REPAIR KIT **W 970 82592**

$\varnothing 100.0$  mm



APPLICATION:

**DAF**

PRODUCT NO **W 970 84500**

REPAIR KIT **W 970 82752**

$\varnothing 100.0$  mm



REFERANS NO:

**628450AM**

APPLICATION:

DAF

PRODUCT NO **W 970 84930**

REPAIR KIT **W 970 84932**

$\varnothing 100.0$  mm



REFERANS NO:

**628493AM**

APPLICATION:

**DAF**

PRODUCT NO W 970 84940

REPAIR KIT W 970 84932

Ø100.0 mm



REFERANS NO:  
628494AM

APPLICATION:  
VOLVO

PRODUCT NO W 970 86310

REPAIR KIT

Ø125.0 mm



REFERANS NO:  
1000178631AM

APPLICATION:  
SCANIA

PRODUCT NO W 970 91340

REPAIR KIT W 970 82752

Ø100.0 mm



REFERANS NO:  
629134AM

APPLICATION:  
DAF

PRODUCT NO W 970 92760

REPAIR KIT

Ø100.0 mm



REFERANS NO:  
629276AM

APPLICATION:  
VOLVO

PRODUCT NO W 970 92770

REPAIR KIT W 970 84932

Ø100.0 mm



REFERANS NO:  
629277AM

APPLICATION:  
VOLVO

PRODUCT NO W 970 93000

REPAIR KIT

Ø100.0 mm



REFERANS NO:  
629300AM

APPLICATION:  
VOLVO

PRODUCT NO W 970 96030

REPAIR KIT W 970 04242

Ø100.0 mm



REFERANS NO:  
1000349603AM

APPLICATION:  
FORD CARGO

PRODUCT NO W 970 96830

REPAIR KIT


Ø100.0 mm



REFERANS NO:  
629683AM

APPLICATION:  
SCANIA

## Şanzıman Valfleri / Gearbox Valves



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Araç Bilgisi <i>Applications</i>
<b>W 980 11020</b>	SV3360 - 0012600057 - 99112221408	<b>A</b>	MERCEDES - STEYR
<b>W 980 11030</b>	SV3367 - 692183 - 81521706064	<b>B</b>	DAF - MAN
<b>W 980 11040</b>	SV3368 - 0069237	<b>C</b>	DAF
<b>W 980 21010</b>	1319557	<b>D</b>	SCANIA
<b>W 980 21020</b>	1669324 - 1869324 - 3092123 - 1069541 - 1672042 1669277 - 1653074 - 3095080 - 3091916	<b>E</b>	VOLVO
<b>W 980 21030</b>	1669297 - 1068951	<b>F</b>	VOLVO
<b>W 980 21040</b>	1653156	<b>G</b>	VOLVO
<b>W 980 21050</b>	81521706096 - 81521706156	<b>H</b>	MAN
<b>W 980 31060</b>	0022606157 - 0022602457 - 0022604157	<b>I</b>	MERCEDES



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Tip <i>Type</i>	Araç Bilgisi <i>Applications</i>
<b>W 981 01010</b>	0501208629 - 42534677 - 1374723	<b>A</b>	DAF - IVECO
<b>W 981 01030</b>	0501310059 - 81521706127 - 3099422 - 5001839206 - 42531588	<b>B</b>	MAN - VOLVO - RENAULT IVECO - FORD CARGO
<b>W 981 01040</b>	0012602057	<b>C</b>	MERCEDES
<b>W 981 01140</b>	571 003 104 0 - 0262633 - 2968407 - 42483486 - 81327346001 81327349001 - 99012280053 - A0002601457 - 5000455080 - 0501303270	<b>D</b>	DAF - IVECO - MAN - STEYR MERCEDES - RENAULT - ZF

## Solenoid Valfi / Solenoid Valves



11 12 2 M22x1.5

■ Repair Kit No  
■ W 982 00001



■ Repair Kit No  
■ W 982 00011



■ Repair Kit No  
■ W 982 00021



■ Repair Kit No  
■ W 982 00002



■ Repair Kit No  
■ W 982 00012



■ Repair Kit No  
■ W 982 00022



Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Max. Basıncı <i>Max. Pressure</i>	Tip <i>Type</i>	Tamir Takımları <i>Repair Kits</i>	Araç Bilgisi <i>Applications</i>
<b>W 982 00000</b>	1334037	<b>9.0 BAR</b>	<b>A</b>	W 932 00001 - W 982 00002	SCANIA
<b>W 982 00010</b>	1303948	<b>9.0 BAR</b>	<b>B</b>	W 932 00011 - W 982 00012	DAF
<b>W 982 00020</b>	1457276	<b>10.0 BAR</b>	<b>C</b>	W 932 00021 - W 982 00022	DAF

Ürün No <i>Product No</i>	Referans No <i>Alt. Ref. No</i>	Araç Bilgisi <i>Applications</i>
<b>W 982 11050</b>	20590252 - 20514657 - 205687	VOLVO



## Otomatik Sarı Rakorlar / Fittings Coupling Systems

Tip <i>Type</i>	Ürün No <i>Product No</i>	Bilgi <i>Information</i>
1	W 30120	M12 x 1.5
2	W 30130	R1/4
2	W 30140	M14 x 1.5
2	W 30160	M16 x 1.5
2	W 30180	M18 x 1.5
2	W 30210	R1/2
2	W 30220	M22 x 1.5

1



2



Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 31200	M10 x 1.0 / 6 x 1.0 MM
W 31210	R1/8 / 6 x 1.0 MM
W 31220	M12 x 1.5 / 6 x 1.0 MM
W 31230	R1/4 / 6 x 1.0 MM
W 31240	M14 x 1.5 / 6 x 1.0 MM
W 31260	M16 x 1.5 / 6 x 1.0 MM
W 31290	M22 x 1.5 / 6 x 1.0 MM
W 31300	M10 x 1.0 / 8 x 1.0 MM
W 31310	R1/8 / 8 x 1.0 MM
W 31320	M12 x 1.5 / 8 x 1.0 MM
W 31330	R1/4 / 8 x 1.0 MM
W 31340	M14 x 1.5 / 8 x 1.0 MM
W 31360	M16 x 1.5 / 8 x 1.0 MM
W 31390	M22 x 1.5 / 8 x 1.0 MM
W 31400	M26 x 1.5 / 8 x 1.0 MM

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 31420	M12 x 1.5 / 9 x 1.5 MM
W 31460	M16 x 1.5 / 9 x 1.5 MM
W 31490	M22 x 1.5 / 9 x 1.5 MM
W 31500	M10 x 1.0 / 10 x 1.5 MM
W 31510	R1/8 / 10 x 1.5 MM
W 31520	M12 x 1.5 / 10 x 1.5 MM
W 31530	R1/4 / 10 x 1.5 MM
W 31540	M14 x 1.5 / 10 x 1.5 MM
W 31560	M16 x 1.5 / 10 x 1.5 MM
W 31590	M22 x 1.5 / 10 x 1.5 MM
W 31600	M26 x 1.5 / 10 x 1.5 MM

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 31800	M10 x 1.0 / 12 x 1.5 MM
W 31810	R1/8 / 12 x 1.5 MM
W 31820	M12 x 1.5 / 12 x 1.5 MM
W 31830	R1/4 / 12 x 1.5 MM
W 31840	M14 x 1.5 / 12 x 1.5 MM
W 31860	M16 x 1.5 / 12 x 1.5 MM
W 31890	M22 x 1.5 / 12 x 1.5 MM
W 31900	M26 x 1.5 / 12 x 1.5 MM
W 32060	M16 x 1.5 / 15 x 1.5 MM
W 32090	M22 x 1.5 / 15 x 1.5 MM
W 32100	M26 x 1.5 / 15 x 1.5 MM
W 32260	M16 x 1.5 / 16 x 2.0 MM
W 32290	M22 x 1.5 / 16 x 2.0 MM
W 32300	M26 x 1.5 / 16 x 2.0 MM



Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 32800	6 x 1.0 MM
W 32810	8 x 1.0 MM
W 32820	9 x 1.5 MM
W 32850	10 x 1.0 MM
W 32870	12 x 1.5 MM
W 32880	15 x 1.5 MM
W 32890	16 x 2.0 MM

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 33000	M10 x 1.0
W 33010	R1/8
W 33020	M12 x 1.5
W 33030	R1/4
W 33040	M14 x 1.5
W 33060	M16 x 1.5
W 33080	M22 x 1.5
W 33090	M26 x 1.5
W 33070	R3/8
W 33050	R1/2

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 34010	6 x 1.0 MM
W 34020	8 x 1.0 MM
W 34040	9 x 1.5 MM
W 34050	10 x 1.5 MM
W 34060	12 x 1.5 MM
W 34070	15 x 1.5 MM
W 34080	16 x 2.0 MM

## Otomatik Sarı Rakorlar / Fittings Coupling Systems



Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 34120	M12 x 1.5
W 34140	M14 x 1.5
W 34160	M16 x 1.5

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 34220	M12 x 1.5
W 34240	M14 x 1.5
W 34260	M16 x 1.5

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 34420	M12 x 1.5
W 34440	M14 x 1.5
W 34460	M16 x 1.5
W 34490	M22 x 1.5



Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 34520	M12 x 1.5
W 34540	M14 x 1.5
W 34560	M16 x 1.5
W 34590	M22 x 1.5

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 34620	M12 x 1.5
W 34640	M14 x 1.5
W 34660	M16 x 1.5
W 34690	M22 x 1.5

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 34720	M12 x 1.5
W 34740	M14 x 1.5
W 34760	M16 x 1.5




Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 34820	M12 x 1.5
W 34840	M14 x 1.5
W 34860	M16 x 1.5

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 35660	M22 x 1.5 / M16 x 1.5 / 9MM
W 35670	M22 x 1.5 / M16 x 1.5 / 24MM
W 35680	M26 x 1.5 / M16 x 1.5 / 12MM
W 35690	M26 x 1.5 / M22 x 1.5 / 12MM

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 32900	8 x 1.0MM / 6 x 1.0MM
W 32920	10 x 1.0MM / 6 x 1.0MM
W 32940	10 x 1.0MM / 8 x 1.0MM
W 32950	12 x 1.0MM / 8 x 1.0MM
W 32960	12 x 1.0MM / 10 x 1.0MM

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
W 35720	M12 x 1.5 / M12 x 1.5 - A = 9MM B = 24MM
W 35760	M16 x 1.5 / M16 x 1.5 - A = 9MM B = 24MM
W 35770	M16 x 1.5 / M16 x 1.5 - A = 9MM B = 35MM
W 35780	M22 x 1.5 / M16 x 1.5 - A = 9MM B = 24MM
W 35790	M22 x 1.5 / M16 x 1.5 - A = 9MM B = 35MM
W 35860	M16 x 1.5 / M22 x 1.5 - A = 9MM B = 24MM
W 35880	M16 x 1.5 / M22 x 1.5 - A = 9MM B = 35MM
W 35890	M22 x 1.5 / M22 x 1.5 - A = 9MM B = 24MM
W 35900	M22 x 1.5 / M22 x 1.5 - A = 9MM B = 35MM
W 35960	M26 x 1.5 / M22 x 1.5 - A = 9MM B = 35MM



## Otomatik Sarı Rakorlar / Fittings Coupling Systems



Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 36060</b>	<b>M16 x 1.5 / M16 x 1.5</b>
<b>W 36160</b>	<b>M22 x 1.5 / M16 x 1.5</b>

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 36120</b>	<b>M12 x 1.5 / M18 x 1.5</b>
<b>W 36180</b>	<b>M16 x 1.5 / M18 x 1.5</b>
<b>W 36260</b>	<b>M22 x 1.5 / M18 x 1.5</b>

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 36360</b>	<b>M22 x 1.5 / M22 x 1.5</b>



Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 36420</b>	<b>M12 x 1.5</b>
<b>W 36440</b>	<b>M14 x 1.5</b>
<b>W 36460</b>	<b>M16 x 1.5</b>
<b>W 36490</b>	<b>M22 x 1.5</b>

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 38420</b>	<b>M12</b>
<b>W 38440</b>	<b>M14</b>
<b>W 38460</b>	<b>M16</b>
<b>W 38490</b>	<b>M22</b>

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 38120</b>	<b>M12 x 1.5</b>
<b>W 38130</b>	<b>R1/4</b>
<b>W 38140</b>	<b>M14 x 1.5</b>
<b>W 38160</b>	<b>M16 x 1.5</b>
<b>W 38220</b>	<b>M22 x 1.5</b>



Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 39760</b>	<b>M16x1.5 / M12x1.5</b>
<b>W 39770</b>	<b>M16x1.5 / M16x1.5</b>

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 34360</b>	<b>M16x1.5</b>

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 39660</b>	<b>M16 x 1.5 - M16 x 1.5</b>
<b>W 39690</b>	<b>M22 x 1.5 - M16 x 1.5 X 2</b>



Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 10401</b>	<b>M16x1.5 KM 81.98183.6115</b>
<b>W 10402</b>	<b>M22x1.5 BM 81.98183.6115</b>

Ürün No <i>Product No</i>	Bilgi <i>Information</i>
<b>W 10324</b>	<b>M16 x 1.5 / M16 x 1.5</b>
<b>W 10325</b>	<b>M22 x 1.5 / M16 x 1.5</b>
<b>W 10326</b>	<b>M22 x 1.5 / M22 x 1.5</b>

## Otomatik Sarı Rakorlar / Fittings Coupling Systems



Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10010</b>	<b>6x4</b>	<b>KM</b>	06.71812.5302
<b>W 10011</b>	<b>9x6</b>	<b>KM</b>	06.71812.5303
<b>W 10012</b>	<b>11x8</b>	<b>KM</b>	06.71812.5304
<b>W 10013</b>	<b>12x9</b>	<b>KM</b>	06.71812.5307
<b>W 10014</b>	<b>6x4</b>	<b>BM</b>	06.71812.5402
<b>W 10015</b>	<b>9x6</b>	<b>BM</b>	06.71812.5403
<b>W 10016</b>	<b>11x8</b>	<b>BM</b>	06.71812.5404
<b>W 10017</b>	<b>12x9</b>	<b>BM</b>	06.71812.5407
<b>W 10018</b>	<b>14x10</b>	<b>BM</b>	06.71812.5405
<b>W 10019</b>	<b>16x12</b>	<b>BM</b>	06.71812.5406

Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10030</b>	<b>M10x1</b>	<b>KM</b>	06.71812.0108
<b>W 10031</b>	<b>M12x1.5</b>	<b>KM</b>	06.71812.0109
<b>W 10032</b>	<b>M14x1.5</b>	<b>KM</b>	06.71812.0110
<b>W 10033</b>	<b>M16x1.5</b>	<b>KM</b>	06.71812.0111
<b>W 10036</b>	<b>M16x1.5</b>	<b>BM</b>	06.71812.0211
<b>W 10035</b>	<b>M22x1.5</b>	<b>BM</b>	06.71812.0214
<b>W 10040</b>		<b>KM</b>	06.71812.1328
<b>W 10041</b>		<b>BM</b>	06.71812.1429



Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10042</b>	<b>M10x1</b>	<b>KM</b>	
<b>W 10043</b>	<b>M16x1.5</b>	<b>BM</b>	06.71812.1111
<b>W 10044</b>	<b>M22x1.5</b>	<b>BM</b>	
<b>W 10048</b>	<b>Erkek/Dışı/Male/Female</b>	<b>KM</b>	

Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10267</b>	<b>2x 12x9 Hortum</b>	<b>1x BM</b>	81.98181.6131
<b>W 10268</b>	<b>2x 8x9 Hortum</b>	<b>1x KM</b>	



Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10210</b>	<b>6x4</b>	<b>KM</b>	
<b>W 10211</b>	<b>8x6</b>	<b>KM</b>	81.98181.6081
<b>W 10212</b>	<b>6x4</b>	<b>BM</b>	
<b>W 10213</b>	<b>8x6</b>	<b>BM</b>	81.98181.6082
<b>W 10214</b>	<b>12x9</b>	<b>BM</b>	81.98181.6083
<b>W 10261</b>	<b>(15-16)x12</b>	<b>BM</b>	

Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10231</b>	<b>6x4</b>	<b>KM</b>	
<b>W 10232</b>	<b>8x6</b>	<b>KM</b>	81.98181.6084
<b>W 10233</b>	<b>6x4</b>	<b>BM</b>	
<b>W 10234</b>	<b>8x6</b>	<b>BM</b>	81.98181.6085
<b>W 10235</b>	<b>12x9</b>	<b>BM</b>	81.98181.6086
<b>W 10236</b>	<b>(15-16)x12</b>	<b>BM</b>	81.98181.6303

## Otomatik Sarı Rakorlar / Fittings Coupling Systems



Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10049</b>	<b>M12x1.5</b>	<b>2xKM</b>	
<b>W 10046</b>	<b>M22x1.5</b>	<b>2xBM</b>	

Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10097</b>	<b>6L - M12x1.5</b>	<b>6x4</b>	06.98181.0016
<b>W 10093</b>	<b>8L - M14x1.5</b>	<b>6x4</b>	
<b>W 10098</b>	<b>8L - M14x1.5</b>	<b>9x6 - 8x6</b>	06.98181.0017
<b>W 10094</b>	<b>10L - M16x1.5</b>	<b>9x6 - 8x6</b>	
<b>W 10285</b>	<b>12L - M18x1.5</b>	<b>11x8 - 8</b>	
<b>W 10096</b>	<b>12L - M18x1.5</b>	<b>12x9</b>	
<b>W 10024</b>	<b>16L - M22x1.5</b>	<b>16x12</b>	



Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10432</b>	<b>6x4</b>	<b>KM</b>	
<b>W 10407</b>	<b>8x6</b>	<b>KM</b>	81.98183.6084
<b>W 10454</b>	<b>12x9</b>	<b>KM</b>	
<b>W 10422</b>	<b>6x4</b>	<b>BM</b>	
<b>W 10408</b>	<b>8x6</b>	<b>BM</b>	81.98183.6085
<b>W 10499</b>	<b>10x7.5</b>	<b>BM</b>	
<b>W 10409</b>	<b>12x9</b>	<b>BM</b>	81.98183.6086
<b>W 10441</b>	<b>16x10</b>	<b>BM</b>	81.98183.6303

Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10431</b>	<b>6x4</b>	<b>KM</b>	
<b>W 10403</b>	<b>8x6</b>	<b>KM</b>	81.98183.6081
<b>W 10425</b>	<b>6x4</b>	<b>BM</b>	
<b>W 10426</b>	<b>12x9</b>	<b>KM</b>	
<b>W 10404</b>	<b>8x6</b>	<b>BM</b>	81.98183.6082
<b>W 10405</b>	<b>12x9</b>	<b>BM</b>	81.98183.6083
<b>W 10505</b>	<b>10x7.5</b>	<b>BM</b>	
<b>W 10506</b>	<b>14x10</b>	<b>BM</b>	
<b>W 10423</b>	<b>16x12</b>	<b>BM</b>	



Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10523</b>	<b>6x4 - 6x4</b>	<b>KM</b>	
<b>W 10524</b>	<b>8x6 - 6x4</b>	<b>KM</b>	
<b>W 10438</b>	<b>8x6 - 8x6</b>	<b>KM</b>	
<b>W 10525</b>	<b>12x9 - 6x4</b>	<b>BM</b>	
<b>W 10526</b>	<b>8x6 - 6x4</b>	<b>BM</b>	
<b>W 10434</b>	<b>8x6 - 8x6</b>	<b>BM</b>	
<b>W 10435</b>	<b>12x9 - 8x6</b>	<b>BM</b>	
<b>W 10437</b>	<b>16x12 - 10x8</b>	<b>BM</b>	
<b>W 10427</b>	<b>12x9 - 6x4</b>	<b>BM</b>	
<b>W 10439</b>	<b>12x9 - 12x9</b>	<b>BM</b>	

Ürün No <i>Product No</i>	Bilgi <i>Information</i>	Tip <i>Type</i>	Referans <i>Reference</i>
<b>W 10509</b>	<b>6x4 - 6x4</b>	<b>KM</b>	
<b>W 10463</b>	<b>8x6 - 6x4</b>	<b>KM</b>	
<b>W 10511</b>	<b>12x9 - 8x6</b>	<b>KM</b>	
<b>W 10512</b>	<b>8x6 - 8x4</b>	<b>BM</b>	
<b>W 10480</b>	<b>8x6 - 8x6</b>	<b>BM</b>	
<b>W 10411</b>	<b>12x9 - 12x9</b>	<b>BM</b>	
<b>W 10412</b>	<b>12x9 - 8x6</b>	<b>BM</b>	
<b>W 10468</b>	<b>12x9 - 6x4</b>	<b>BM</b>	
<b>W 10513</b>	<b>16x12 - 6x4</b>	<b>BM</b>	
<b>W 10514</b>	<b>16x12 - 16x12</b>	<b>BM</b>	